

RFR

**RFR BIKE PARTS**  
2017  
INTERNATIONAL

# CONTENTS

004 RFR Shop Concept

005 RFR Advantages & Ordering

135 Contact

## BIKE WEAR

PAGE 006 - 011



006 Gloves



010 Shoe Covers

## ACCESSORIES

PAGE 012 - 077



012 Lights



022 Reflectors



026 Computers



030 Tools



042 Bottles & Bottle Cages



046 Pumps



050 Locks



060 Mudguards



063 Kickstands



064 Racks



071 Bags



073 Mobile Phone Mounts



074 Bells














076 Care Line



# CONTENTS

**BIKE PARTS**

PAGE 078 - 136

|   |            |                         |
|---|------------|-------------------------|
|    | <b>078</b> | Grips                   |
|   | <b>082</b> | Bar Ends                |
|  | <b>085</b> | Stems                   |
|  | <b>090</b> | Bars                    |
|  | <b>096</b> | Seat Clamps             |
|  | <b>100</b> | Seat Posts              |
|  | <b>104</b> | Saddles                 |
|  | <b>112</b> | Pedals                  |
|  | <b>118</b> | Pins & Cleats           |
|  | <b>121</b> | Shift- and Brake Cables |
|  | <b>128</b> | Chains                  |

**SPARE PARTS**



The Spare Parts icon refers to the page containing an overview of the spare parts that are compatible with the product.


**BIKE WEAR**

**ACCESSORIES**

**BIKE PARTS**

|  |            |
|--|------------|
|  | <b>006</b> |
|  |            |
|  | <b>009</b> |
|  |            |
|  | <b>012</b> |
|  |            |
|  | <b>045</b> |
|  |            |
|  | <b>078</b> |
|  |            |
|  | <b>107</b> |
|  |            |
|  | <b>136</b> |





# THE RFR SHOP CONCEPT

RFR offers an attractive assortment of basic essentials including bike parts and accessories, high in quality, longevity and function. With great looks and great prices to match, they appeal to the sportive biker as well as the city biker.




Customer satisfaction is the benchmark for all RFR products. From seat posts to bike lights, we rigorously test every single product in our lab and ensure they correspond to EN standards at a very minimum. Their timeless and classic design, coupled with well-thought-out details make them a particularly good choice.

Present the RFR products in your sales area to optimum effect using pegboard walls developed by our sales experts. These can be individually tailored to your business concept and are an effective sales tool that will improve your revenue with little to no additional expenditure.

You benefit from the complete RFR service package. We are happy to advise you on the perfect product selection and will help you to set up your RFR sales area. The ready-to-use pegboard walls are delivered and assembled free of charge.

In addition, you are given an introduction to the RFR product line so that you are perfectly prepared for customers' questions. If more detailed questions arise, we are always here to help.

The 2017 RFR range has all of the essentials your customers will need, regardless of whether it's for a ride off-road, on-road, or in the city.



## The RFR advantages



### INDIVIDUAL SHOP CONCEPT

You profit from the long-term experience of our RFR retail experts. Following a specific consultation on site, we will develop a shop concept that is ideally suited to your store. We offer help in all areas: anything from the placement of individual walls, to the structure of smaller areas, to the entire design concept.



### MODULAR DESIGN

The foundation for successful product presentation is having RFR elements that are entirely customised to your store. Different, perfectly combinable modules form the basis of your RFR sales.



### READY TO USE

Have you chosen an RFR sales module? Our employees will bring new sales walls and build them free of charge. We are also happy to help you with placement of the products.



### SUBSIDIES

In order to ensure that outfitting your RFR retail space is profitable for you in the short term, we subsidise the costs of the sales modules – even up to 100%, depending on your turnover.



## Ordering with a barcode scanner

Our new service for our business partners – and it's this easy:

### 1 SCAN

Scan the article either in store or in the stockroom and choose the desired quantity.

---

### 2 LOG IN

Start up the scanner software on the computer and log in into the online dealer portal.

---

### 3 CONNECT SCANNER

Open the shopping cart in the portal and connect the scanner to the computer via USB. The scanned articles will automatically show up in the shopping cart.

---

### 4 ORDER

Complete the order transaction as usual.

---







## ■ PRO SHORT FINGER

lightweight and well-ventilated short finger gloves; pull-on and tear-off system; absorbent fabric; elastic cuff

**SIZE** S(7) - XXL(11)

**MATERIAL** 77% nylon, 10% polyurethane, 8% elastane, 5% polyester

**WEIGHT** 59 g



11941 black

## ■ PRO LONG FINGER

lightweight and well-ventilated long finger gloves; absorbent fabric; pull-on system; elastic cuff

**SIZE** S(7) - XXL(11)

**MATERIAL** 81% nylon, 10% elastane, 9% polyurethane

**WEIGHT** 60 g



11942 black

## ■ PRO MULTISPORT LONG FINGER

warming long finger gloves; all-round usage; reflective print for enhanced safety in the dark

**SIZE** S(7) - XXL(11)

**MATERIAL** 80% polyester, 20% elastane

**WEIGHT** 61 g



11943 black





### ■ COMFORT WINTER LONG FINGER

winter long finger gloves; warm, waterproof and breathable; reflective print; padding; RFR TOUCH material on index finger; absorbent fabric on thumb; extra long hem with drawstring; silicone prints on palm for maximum grip

**SIZE** S(7) - XXL(11)

**MATERIAL** 80% polyester, 20% nylon

**WEIGHT** 154 g



11939 black

### ■ COMFORT ALL SEASON LONG FINGER

long finger gloves; windproof and water-repellent; extra long cuff; reflective details; padding reduces pressure on nerves; silicone printed palm; absorbent fabric

**SIZE** S(7) - XXL(11)

**MATERIAL** 45% polyurethane, 33% nylon, 20% polyester, 2% elastane

**WEIGHT** 136 g



11940 black'n'white

## COMFORT LONG FINGER

lightweight and well-ventilated long finger gloves; pull-on system; absorbent fabric; padding; silicone prints; velcro cuff

SIZE S(7) - XXL(11)

MATERIAL 77% nylon, 10% elastane, 8% polyurethane, 5% polyester

WEIGHT 55 g



11938 black'n'anthracite

## COMFORT SHORT FINGER

lightweight and well-ventilated short finger gloves; pull-on and tear-off system; absorbent fabric; padding; silicone prints; velcro cuff

SIZE S(7) - XXL(11)

MATERIAL 77% nylon, 10% elastane, 8% polyurethane, 5% polyester

WEIGHT 74 g



11937 black





## Well protected against the elements

Every ambitious biker should have the RFR shoe cover. From a light toe warmer for the transitional seasons to a winter overshoe, the RFR shoe covers make biking fun in bad weather. Useful tech features include waterproof zips, taped seams, pull-on systems and adjustable sole bridges.

### + FEATURES

- 1 REFLECTIVE ELEMENTS
- 2 PULL-ON SYSTEM
- 3 WATER-REPELLENT

## SHOE COVER WINTER

warm lining; taped seams; water-repellent upper; waterproof YKK zipper; reflective print; stretch material; pull-on system; velcro width adjustment; abrasion-resistant material on tread

**SIZE** S (37-40), M (41-44), L (45-48)

**MATERIAL** 76% nylon, 10% polyurethane, 7% elastane, 5% kevlar, 2% polyester

**WEIGHT** 280 g



15073 black

## SHOE COVER RAIN

relatively warm lining; taped seams; waterproof upper; waterproof YKK zipper; reflective print; stretch PU-coated material; pull-on system; velcro width adjustment; abrasion-resistant material on tread

**SIZE** S (37-40), M (41-44), L (45-48)

**MATERIAL** 75% polyester, 10% polyurethane, 8% nylon, 5% kevlar, 2% elastane

**WEIGHT** 100 g



15074 black

## TOE WARMER

light and warm lining; water-repellent upper; reflective print; stretch material; abrasion-resistant material on tread

**SIZE** S (37-40), M (41-44), L (45-48)

**MATERIAL** 68% nylon, 20% polyurethane, 5% kevlar, 5% polyester, 2% elastane

**WEIGHT** 36 g



15075 black





## The right light for every occasion



The perfect light for every application, with the RFR Tour Lighting Kits you are prepared for everyday use as well as for big bike adventures. 12, 15 or 30 lux - all the lights are tested and German Standard certified. High visibility and good lighting are guaranteed due to the high quality antiglare lens and the 60° swivel-mounted front light. The tool-free assembly makes it easy-to-fit and switch between bikes.

### + FEATURES

---

- 1 **BATTERIES INCLUDED**
  - 2 **KBA NUMBER INTEGRATED IN THE LIGHT**
  - 3 **60 DEGREE SWIVEL**
-

# For good visibility at night



## OUTDOOR LIGHTING

The Outdoor Series is characterised by extremely powerful lighting. This is achieved by using specially developed lenses for maximum visibility.

## STVZO APPROVED

For the highest safety, the PRO Series Lights are compliant with the relevant German Standard. A flat beam pattern, cut off across the top, means that other road users aren't dazzled.

## LUMEN

Lumen is the unit of luminous flux, measuring the total amount of emitted visible light coming from a light source.

## OPTICAL

Optics determine the distribution of the light coming from the light source.

## LUX

Lux describes the amount of visible light falling on a defined area, dependent on the light source's distance.



## ■ LIGHTING SET TOUR 25 USB

LED front light; 25 lux, StVZO (road traffic regulation) certified; chargeable via USB; run time 2.5 hrs (steady); 850mAh Li battery; tool-free bracket mount; USB cable included; LED rear light; 2-in-1 bracket; run time 5 hrs

**SIZE**

front: (LxWxH): 90 x 39 x 37 mm

rear: (LxWxH): 42 x 30 x 22 mm

**MATERIAL** plastic

**WEIGHT**

front: 58 g incl. battery

rear: 16 g incl. battery



14314 black

## ■ LIGHTING SET TOUR 30

one LED headlight with 30 Lux and StVZO certification; high quality holder with 60° possible rotation; run time 3.5 hrs; one LED backlight with StVZO certification; tool-free assembly; batteries and holder are included; splashproof; run time 5 hrs

**SIZE**

front: (LxWxH) 85 x 45 x 45 mm

rear: (LxWxH) 50 x 50 x 40 mm

**MATERIAL** plastic

**WEIGHT** 130 g (incl. batteries and brackets)



14300 black'n'white

## ■ LIGHTING SET TOUR 15 6V

3 watt LED front light with 15 Lux output; StVZO (road traffic regulation) certified; high-quality bracket with 60° pivoting; run time 6 hrs; 3 Watt LED rear light; universally usable bracket; batteries and brackets included; splashproof; run time 30 hrs

**SIZE**

front: (LxWxH) 105 x 37 x 27 mm

rear: (LxD) 75 x 30 mm

**MATERIAL** plastic

**WEIGHT**

front: 123 g (incl. battery)

rear: 93 g (incl. battery)



14315 black'n'grey



## LED LIGHTING SET TOUR 12

single LED front light with 12 Lux output; StVZO (road traffic regulation) certified; high quality bracket with 60° pivoting; run time 3.5 hrs; single LED rear light; universally usable bracket; batteries and brackets included; splashproof; run time 15 hrs

**SIZE**

front: (LxWxH) 95 x 45 x 40 mm  
 rear: (LxWxH) 65 x 25 x 35 mm

**MATERIAL** plastic

**WEIGHT** 150 g (incl. batteries)



13918 white



13917 matt black



132

## REAR LIGHT TOUR

single LED rear light with steady light function; StVZO (road traffic regulation) certified; includes batteries; splashproof; run time 15 hrs

**SIZE** (LxWxH) 65 x 25 x 35 mm

**MATERIAL** plastic

**WEIGHT** 45 g (incl. bracket)



13932 black



132

## REAR CARRIER LIGHT STANDARD

StVZO (road traffic regulation) certified rear light for bicycle rack; 80 mm clearance; three LEDs; includes batteries; splashproof; run time 7 hrs

**SIZE** (LxW) 115 x 45 mm

**MATERIAL** plastic

**WEIGHT** 60 g



13977 black





## Visible in urban and rural areas

Perfectly equipped for the next bike tour or quick ride into town thanks to the RFR tour dynamo lighting. This lighting system is ideal for E-bikes and hub dynamos and has a spectrum of 12-70 lux. All lights are StVZO approved and therefore certified for road traffic. Cutting edge LED technology and integrated surge protection allow for carefree biking. Because little details are just as important, the mounting of the integrated holder is simple and quick.



### FEATURES

---

- 1 **70 LUX LED**
  - 2 **SURGE PROTECTION**
  - 3 **INTEGRATED REFLECTOR**
-

## FRONT LIGHT DYNAMO TOUR 70

LED spotlight with integrated reflector; StVZO (road traffic regulation) certified 70 Lux power-light with holder; surge protection; parking light function; suitable for hub dynamo bikes

**SIZE** (LxWxH) 50 x 50 x 60 mm

**MATERIAL** plastic

**WEIGHT** 107 g



14309 black'n'grey

## FRONT LIGHT DYNAMO TOUR 40 USB

LED front light with integrated reflector; StVZO (road traffic regulation) certified 12 Lux lamp with plastic mount; ideal for hub dynamo bikes; surge protection; run time 5 hrs

**SIZE** (LxWxH) 50 x 50 x 70 mm

**MATERIAL** plastic

**WEIGHT** 98 g



14308 black'n'white



14307 black'n'grey

## FRONT LIGHT DYNAMO TOUR 12

LED front light with integrated reflector; StVZO (road traffic regulation) certified 12 Lux lamp with plastic mount; ideal for hub dynamo bikes; surge protection

**SIZE** (LxWxH) 80 x 45 x 60 mm

**MATERIAL** plastic



14306 black'n'grey

## REAR CARRIER LIGHT DYNAMO TOUR

LED backlight with integrated reflector; StVZO (road traffic regulation) certified; li-ion batteries rechargeable via USB; removable backlight with Klick&Go adapter; compatible with 50 mm or 80 mm mounts

**SIZE** (LxW) 115 x 45 mm

**MATERIAL** plastic



14310 black





## RFR outdoor lights – Turn the night into day

The RFR Outdoor light series covers a wide range of systems – from the minimal 20 lumen safety light up to the high-end Power Light 850 that will turn night into day. All lights can be mounted tool-free and are manufactured to high quality standards. The blazing Powerlight 850 has the LED emitter unit well protected within a sophisticated CNC-machined housing and features a universal external high-capacity battery.

### + FEATURES

- 1 **850 LUMEN**
- 2 **LIGHT MODES:  
POWER, MEDIUM, FLASHING**
- 3 **EXTRA-LONG CABLE**
- 4 **BATTERY POCKET INCLUDED**



■ POWER LIGHT 850 “WHITE LED”

the powerful Cree LED lights up to 850 lumen; CNC-machined aluminium case; splashproof; li-ion battery can be recharged with the charger included; battery indicator; three light functions (high power, medium, flashing); contents: power light, 2 x O-rings, helmet carrier, charger, 1.2 metre extension cable, Samsung battery pack, battery bag; run time: high power (3.5 hrs), medium (6.5 hrs), flashing (15 hrs)

**MATERIAL** alloy

**WEIGHT** 813 g incl. accessories (battery, cables, light)



13853 black

■ POWER LIGHT 300 USB “WHITE LED”

splashproof aluminium case; Cree high power LED; easy strap fitting (20-40 mm); five light functions (run time: steady high beam (1h), medium (3h), low (6h), flashing (12h), fast flashing (60h)); rechargeable via USB; 580 mAh li-polymer battery; incl. USB cable

**SIZE** (LxWxH) 65 x 30 x 25 mm

**MATERIAL** alloy

**WEIGHT** 49 g (incl. batteries)



13848 black



13849 silver



13850 red



13851 blue



132



## ■ POWER LIGHTING SET USB

splashproof case; Cree XPE 3W LED with 120 lumen; easy strap fitting (20-40 mm); five light functions (permanent high, medium, flashing); rechargeable via USB; 800 mAh li-polymer battery; run time: high power (3 hrs), medium (5 hrs), flashing (6 hrs) LED rear light with 5 LED diodes, rechargeable via USB; 200 mAh li-polymer battery; four light functions (permanent, 3 flashing modes); run time 3 hrs

**SIZE**

front: (LxWxH): 65 x 28 x 25 mm

rear: (LxWxH): 22 x 74 x 22 mm

**MATERIAL** plastic

**WEIGHT**

front: 40 g incl. battery

rear: 16 g incl. battery



14316 black

## ■ LIGHT DIAMOND "WHITE LED"

CNC machined aluminium case; long-lasting LED technology; three light functions; simple strap fitting; includes batteries; waterproof; run time steady 50h/ flashing 150h

**SIZE** (DxB) 30 x 25 mm

**MATERIAL** alloy

**WEIGHT** 27 g (incl. batteries)



13842 silver



13844 red



13846 blue



13840 black



132

## ■ LIGHT DIAMOND "RED LED"

CNC machined aluminium case; long-lasting LED technology; three light functions; simple strap fitting; includes batteries; waterproof; run time steady 50h/ flashing 150h

**SIZE** (DxB) 30 x 25 mm

**MATERIAL** alloy

**WEIGHT** 27 g (incl. batteries)



13843 silver



13845 red



13847 blue



13841 black



132

## LED LIGHT SET CMPT

single LED USB front light with three light functions; single red LED light with steady lighting mode; includes holder for different pipe diameters (e.g. tent poles) and batteries; splashproof

**SIZE** (LxWxH) 80 x 35 x 30 mm

**MATERIAL** plastic

**WEIGHT** 90 g (incl. batteries)



13914 matt black



13933 matt blue'n'white



13900 matt white



132

## LIGHT DIAMOND HQP "WHITE LED"

plastic housing; long-life LED technology; three light functions; simple strap fitting; includes batteries; waterproof; run time steady 50h/ flashing 150h

**SIZE** (DxW) 30 x 25 mm

**MATERIAL** plastic



13870 black



132

## LIGHT DIAMOND HQP "RED LED"

plastic housing; long-life LED technology; three light functions; simple strap fitting; includes batteries; waterproof; run time steady 50h/ flashing 150h

**SIZE** (DxW) 30 x 25 mm

**MATERIAL** plastic



13870 black



132



13872 white



13874 blue



13873 white



13875 blue



13876 red



13878 grey




13877 red



13879 grey





## RFR spoke reflectors – a small but effective push for visibility on the road

With the help of our German Standard certified spoke reflectors almost any bike can be upgraded to 360° all-around visibility. They are quick to mount and fit any spoke between 1.8 and 2.0mm in diameter. Our spoke reflectors are the simplest and single most effective way to boost passive visibility for you and your bike.

### + FEATURES

- 1 **360° VISIBILITY**
- 2 **GERMAN STANDARD CERTIFIED**
- 3 **72 REFLECTORS, MOUNTABLE WITHOUT TOOLS**



## REFLECTOR SET PRO

StVZO (road traffic regulation) certified; 72 pieces; 360° visibility; fast and easy adjustment; suitable for 1.8 to 2.0 mm diameter

**SIZE** (DxL) 5 x 80 mm (1 unit)

**MATERIAL** plastic

**WEIGHT** 73 g



13975 silver

## SPOKE REFLECTOR SET CMPT

spoke reflector set; tool-free fitting; StVZO (road traffic regulation) certified

**MATERIAL** plastic



13690 orange

## SPOKE REFLECTOR SET CMPT UK

spoke reflector set; tool-free fitting; UK certification

**MATERIAL** plastic



13691 white

## HANDLEBAR FRONT REFLECTOR

front reflector; StVZO (road traffic regulation) certified

**MATERIAL** plastic



13693 white

## SEATPOST REFLECTOR

reflector rear; StVZO (road traffic regulation) certified

**MATERIAL** plastic



13695 red





## ■ FRONT REFLECTOR FOR BRAKE/FORK MOUNTING

front reflector; StVZO (road traffic regulation) certified

**MATERIAL** plastic



13694 white

## ■ CHAINSTAY REFLECTOR

reflector rear; StVZO (road traffic regulation) certified

**MATERIAL** plastic



13696 red

## ■ PEDAL REFLECTOR SET

pedal reflector set; StVZO (road traffic regulation) certified

**MATERIAL** plastic



13692 orange

## ■ REAR CARRIER REFLECTOR

reflector rear; StVZO (road traffic regulation) certified

**MATERIAL** plastic



13697 red

## ■ REFLECTOR-BAND CLIP

reflective clip; protects trouser legs from the chain and chain ring

**MATERIAL** plastic, 3M



13698 black'n'silver

## ■ REFLECTOR GILLETS

unisex reflector gilets with reflective stripes; improves safety in traffic

**SIZE** unisex

**MATERIAL** polyester



13699 neon yellow'n'silver





## RFR computers – multi-tasking companions

The RFR bike computers are our own development and offer a surprising number of functions and options in a highly attractive package. Their various colours, from understated to trendy, match our bikes. What's more, the menu is very intuitive and the display is kept simple and easy to read. The RFR computers come with 2-in-1 software which allows the computer to run on two bikes. An optional cadence sensor will satisfy even more demanding riders.

### + FEATURES

- 1 **2 IN 1**
- 2 **LARGE DISPLAY**
- 3 **TEMPERATURE MEASUREMENT**

## ■ CYCLE COMPUTER WIRELESS CMPT

speed (curr., 0, max.); distance per day and year (24h display, date); riding time per day/total riding time; auto start/stop; 2in1 system; temperature; incl. sensor and bracket; wireless transmission

**SIZE** (LxW) 53 x 43 mm

**MATERIAL** plastic



14011 black



14012 white



14013 blue



14014 red



14015 green

## ■ CYCLE COMPUTER CMPT

speed (curr., 0, max.); distance per day and year (24h display, date); riding time per day/total riding time; auto start/stop; 2in1 system; incl. sensor and bracket; wired transmission

**SIZE** (LxW) 53 x 43 mm

**MATERIAL** plastic



14010 black



14017 white



14018 blue



14019 red



14024 green





CMPT

READY FOR RACE

00

km/h  
SCAN

BATTERY

9:30:51

CFR

### ■ CYCLE COMPUTER-HANDLEBAR BRACKET SET WIRED

handlebar mount compatible with all RFR wired computers

**MATERIAL** plastic



14041 black

### ■ CYCLE COMPUTER-HANDLEBAR BRACKET SET WITH SPEED SENSOR WIRELESS

handlebar mount compatible with all RFR wireless computers

**MATERIAL** plastic



14042 black

### ■ CYCLE COMPUTER SPOKE MAGNET

universal spoke magnet compatible with all spokes

**MATERIAL** aluminium, steel



14043





## RFR multi-tool – always ready to get the job done

Depending on your needs, we offer a range of 4 different RFR multi-tools and a whole assortment of shop tools to get the work done and your bike moving. Every multi tool features a high-grade alloy skeleton and high strength tool bits, be it our flyweight Multitool 8 for emergency repairs only, or the universal Multitool 19, which will have you prepared for all eventualities on your trips.

### + FEATURES

- 
- 1 **TWO-PIECE MULTI TOOL**
  - 2 **CHAIN TOOL**
  - 3 **TYRE LEVER**
  - 4 **19 FUNCTIONS**
-



1



40390 red

2



40391 red

3



40397 red

4



40392 red

## 1 | MULTI TOOL 8

### TOOLS

- Hex 2/3/4/5/6
- Torx 25
- Phillips 1
- slotted screwdriver

**SIZE** (LxW) 70 x 30 mm

**WEIGHT** 76 g

**MATERIAL** alloy, steel

## 2 | MULTI TOOL 12

- Hex 2/3/4/5/6
- Torx 25
- Phillips 1
- slotted screwdriver
- box wrenches 8/9/10 mm
- tyre lever

(LxW) 70 x 35 mm

90 g

alloy, steel

## 3 | MULTI TOOL 16

- Hex 2/3/4/5/6/8
- Torx 25
- Phillips 1
- slotted screwdriver
- spoke key 13/14/15/16G and Mavic spline
- chain rivet/bottle opener

(LxW) 70 x 45 mm

105 g

alloy, steel


## 4 | MULTI TOOL 19

- Hex 2/3/4/5/6/8
- Torx 25
- Phillips 1
- slotted screwdriver
- spoke key 8/9/10 mm
- tyre lever
- 3 spoke nipple key 3.2/3.3/3.5 mm
- chain rivet

(LxW) 85 x 40 mm

167 g

alloy, steel, plastic



## RFR tools – the right tool for every application

RFR tools cover the full range of wrenching needs – from simply cutting a shifter cable all the way to mounting a new bottom bracket, from hobby biker, to pro shop mechanic. All RFR tools are precisely manufactured from high-grade materials and help you get your bike back on the trail or road in no time. Featuring a uniform design throughout, our RFR tools will even make your shop look better.

### + FEATURES

- 
- 1 **TORQUE 2 - 15 NM**
  - 2 **7-PIECE BIT SET**
  - 3 **HIGH-QUALITY WORKMANSHIP**
-

**■ TORQUE WRENCH 7-PART**

high quality torque wrench with 1/4" drive; torque adjustment range 2-15 Nm; click mechanism shows the torque setting; seven-piece bit set includes Hex keys 3, 4, 5, 6, 8, 10 mm and Torx 25; tested by "Testo" institute

**MATERIAL** steel, plastic



**40200** black

**■ 2IN1 CABLE CUTTER PRO**

2in1 cable cutter with crimp function; crimp function for cable tails; hardened steel blades; long durability

**MATERIAL** steel, plastic



**40201** black

**■ CABLE CUTTER CMPT**

hardened steel; durable

**MATERIAL** steel, plastic



**40202** black

**■ CHAIN KEEPER TOOL**

transportation protection axle for chain protection when rear wheel is removed

**MATERIAL** steel, plastic



**40205** black

**■ CARTRIDGE**

inner bearing spanner for Shimano bottom brackets; easy removal via centring pin

**MATERIAL** steel, plastic



**40204** black

### ■ CRANK INSTALLATION TOOL

inner bearing tool for Shimano and Campagnolo; Hollowtech II & Truvativ & GXP & FSA & MEGAEXO; durable steel

**MATERIAL** steel, plastic



40203 black

### ■ FREEWHEEL REMOVER

sprocket puller for Shimano HG cogs with centring pin

**MATERIAL** steel, plastic



40206 black

### ■ CARTRIDGE AND FREEWHEEL REMOVER

inner bearing key and sprocket puller for Campagnolo bottom bracket; durable steel

**MATERIAL** steel, plastic



40207 black

### ■ PEDAL WRENCH

pedal key with a key width of 15 mm for pedal fitting and removal; durable steel

**MATERIAL** steel, plastic



40208 black

### ■ FREEWHEEL TURNER

sprocket fixing when opening the lock ring; removes the sprocket from the free wheel

**MATERIAL** steel, plastic



40209 black

### ■ 2IN1 CRANK TOOL

separates the crank from the inner bearing; suitable for all standard cranks & Shimano Splined, Octalink and ISIS

**MATERIAL** steel



40210 black

**Y-WRENCH**

3in1; T25; 4 mm and 5 mm spanners

**MATERIAL** steel, plastic



**40212** black

**Y-HEX WRENCH**

3in1; 4 mm, 5 mm and 6 mm spanners

**MATERIAL** steel, plastic



**40213** black

**ROTOR TRUING FORK**

aligning tool for brake disc adjustment; two slot widths; high-performance steel

**MATERIAL** steel, plastic



**40211** black

**HUB CONE SPANNER 13MM**

13 mm spanner width

**MATERIAL** steel, plastic



**40214** black

**HUB CONE SPANNER 14MM**

14 mm spanner width

**MATERIAL** steel, plastic



**40215** black

**HUB CONE SPANNER 15MM**

15 mm spanner width

**MATERIAL** steel, plastic



**40216** black



■ HUB CONE SPANNER 16MM

16 mm spanner width

MATERIAL steel, plastic



40217 black

■ HUB CONE SPANNER 17MM

17 mm spanner width

MATERIAL steel, plastic



40218 black

■ HUB CONE SPANNER 18MM

18 mm spanner width

MATERIAL steel, plastic



40219 black

■ HUB CONE SPANNER 19MM

19 mm spanner width

MATERIAL steel, plastic



40221 black

■ HUB CONE SPANNER 20MM

20 mm spanner width

MATERIAL steel, plastic



40222 black

■ HUB CONE SPANNER 23MM

23 mm spanner width

MATERIAL steel, plastic



40225 black

■ **HUB CONE SPANNER 24MM**

24 mm spanner width

**MATERIAL** steel, plastic



**40226** black

■ **HUB CONE SPANNER 28MM**

28 mm spanner width

**MATERIAL** steel, plastic



**40227** black

■ **MASTER LINK REMOVER**

for opening the connecting links

**MATERIAL** steel, plastic



**40229** black

■ **MASTER LINK CONNECTOR**

for closing the connecting links

**MATERIAL** steel, plastic



**40230** black

■ **CHAIN CHECKER**

easy check of the chain quality

**MATERIAL** steel



**40231** silver

■ **CHAINRING NUT WRENCH CMPT**

easy fitting via chainwheel screws

**MATERIAL** steel, plastic



**40233** black



### ■ CHAINRING NUT WRENCH PRO

easy-to-fit thanks to the special spanner

**MATERIAL** steel, plastic



40234 black

### ■ CHAIN RIVET EXTRACTOR PRO

chain rivet for all chains; includes guide pin and spare pin; easy handling

**MATERIAL** steel, plastic



40242 black

### ■ CHAIN RIVET EXTRACTOR CMPT

chain rivet for 8x, 9x, 10x fold chains; easy-to-use

**MATERIAL** steel, plastic



40243 black

### ■ SPOKE WRENCH 3,2

3.2 mm spoke nipples

**MATERIAL** steel, plastic



40235 black

### ■ SPOKE WRENCH 3,3

3.3 mm spoke nipples

**MATERIAL** steel, plastic



40236 green

### ■ SPOKE WRENCH 3,5

3.5 mm spoke nipples

**MATERIAL** steel, plastic



40237 red



■ **CHAIN CLEANER**

easy-to-use during chain cleaning

**MATERIAL** plastic



**40228** blue

■ **COG BRUSH**

sprocket scraper for coarse dirt

**MATERIAL** plastic



**40238** black

■ **CLEANING BRUSH**

brush for pinion and gear cleaning; long durability due to nylon bristles

**MATERIAL** plastic



**40232** black

■ **COG AND CLEANING BRUSH SET**

sprocket scraper for coarse dirt; brush for pinion and gear cleaning; long durability due to nylon bristles

**MATERIAL** plastic



**40239** black

■ **TYRE LEVER TRIPLE**

easy-to-use tyre lever; 3 units

**MATERIAL** plastic



**40240** black

■ **TYRE LEVER TRIPLE - DISPLAY BOX**

easy-to-use tyre lever, triple, 48 pcs



**40241** black

ACCESSORIES



ACEPILOT  
ENKNECHT

ACTION  
TEAM

TCUBE

FEEDBACK  
SPORTS

FIRST RIDE  
SSWIS 1.0

SWISS  
SPLINE

## ■ TORX SCREWDRIVER SET

seven-piece key set for Torx screws;  
includes T10, T15, T20, T25, T27, T30 and T40 keys

**MATERIAL** Cr-V-Steel



40387 silver

## ■ TORX SCREWDRIVER SET T-FORM

seven-piece key set for internal Torx screw with T-shaped thermoplastic handle;  
includes T10, T15, T20, T25, T27, T30 and T40 keys

**MATERIAL** Cr-V-Steel



40386 silver

## ■ ALLEN KEY SET

nine-piece key set for internal hexagon screw; includes 1.5 mm, 2 mm, 2.5 mm,  
3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm keys; ball end enables use at an angle

**MATERIAL** Cr-V-Steel



40403 silver

## ■ ALLEN KEY SET T-FORM

eight-piece key set for internal hexagon screw with T-shaped thermoplastic handle;  
includes 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm keys; ball end enables  
use at an angle

**MATERIAL** Cr-V-Steel



40404 silver

## ■ BICYCLE RACK CMPT WALL MOUNTED


suitable for all bikes except e-bikes; easy mounting on suitable walls;  
rubber cover protects rim

**SIZE** (LxWxH) 190 x 90 x 50 mm

**MATERIAL** steel, rubber



40245 black



## Fresh at the finish line

Every biker reaches the finish line feeling fresh: the RFR drinking bottles are the ideal companion for on the go and simultaneously complement the bike's stylish look. Produced in Italy, they offer a soft drinking top as well as a larger cap opening for optimised filling and cleaning. Available in 0.5 and 0.75 litres. The bottle holder's design complements that of the bottle to ensure a harmonious look. Taking the bottle out of the holder is simple, but the hold is still sturdy - perfect for all different types of bike rides.

### + FEATURES

---

- 1 **EASY MOUNTING**
  - 2 **STURDY HOLD OF THE BOTTLE**
  - 3 **EASY UNLOADING**
-

## ■ BOTTLE 0.5L

manufactured in Italy; soft spout; easy to handle, flexible and durable; large screw opening for optimum filling; BPA free

**VOLUME** 0.5 litres

**MATERIAL** polyethylene

**WEIGHT** 51 g



13091 black'n'red



13092 translucent'n'blue

## ■ BOTTLE 0.75L

manufactured in Italy; soft spout; easy to handle, flexible and durable; large screw opening for optimum filling; BPA free

**VOLUME** 0.75 litres

**MATERIAL** polyethylene

**WEIGHT** 63 g



13093 black'n'red



13094 translucent'n'blue

## ■ BOTTLE CAGE HQP

optimised geometry for easy handling and a secure hold

**MATERIAL** polycarbonate

**WEIGHT** 35 g



13082 white'n'black



13083 black'n'red



13081 black'n'white

## ■ BOTTLE CAGE SIDECAGE UNIVERSAL

accessed from the side; bottle cage perfect for children's and women's bikes, as well as small frame sizes; suitable for left- and right-handed riders

**MATERIAL** polycarbonate

**WEIGHT** 50 g



13085 white'n'black



13084 black'n'white

## ■ BOTTLE CAGE HPA

high quality aluminium bottle cage; easy handling and optimised grip of the bottle

**MATERIAL** alloy 5052

**WEIGHT** 29 g



13087 white'n'black



13086 black'n'white

## ■ BOTTLE CAGE HPC

very light weight carbon bottle cage; keeps a firm grip on the bottle; easy handling

**MATERIAL** carbon

**WEIGHT** 22 g



13088 black'n'white



ACCESSORIES

## ■ BOTTLE CAGE - ADAPTER RAIL

adapter mounted on saddle rail; Klick&Go system; easy removal of bottle cage; especially suitable for MTB, ROAD and E-bikes

**MATERIAL** alloy, polycarbonate

**WEIGHT** 57 g



13089 black



## Well pumped wheels are half the ride

Without air pumped into wheels and air-spring elements, biking is no fun. Therefore, RFR offers a clearly structured pump portfolio - anything from a robust standing pump for a garage, to a minimalist mini pump for a jersey pocket. Regardless whether you are a racer or a hardcore mountain biker - you'll find your ideal pump here.

### + FEATURES

- 
- 1 **ANODISED ALUMINIUM**
  - 2 **PRESSURE GAUGE**
  - 3 **AIR EXTRACTION VALVE**
-



### ■ PUMP MINI

incl. bracket; Presta and Schrader valve head; 120 psi max.

**SIZE** (LxWxH) 160 x 40 x 28 mm

**MATERIAL** alloy, plastic

**WEIGHT** 70 g



40417 black

### ■ PUMP MICRO UNIVERSAL

aluminium pump with two-stage pump system; Presta and Schrader valve head; 80 - 120 psi max.; incl. bracket

**SIZE** (LxWxH) 160 x 50 x 30 mm

**MATERIAL** alloy

**WEIGHT** 110 g



40418 black'n'glossyblack'n'red

### ■ PUMP MINI HQP

twist-lock-head for Dunlop, Presta and Schrader valves; handle locking; 2-way pump system; small size; includes bracket; 120 psi max.

**SIZE** (LxBxH) 180 x 34 x 26 mm

**MATERIAL** plastic

**WEIGHT** 88 g; 108 g (including bracket)



14054 black



## ■ FLOORPUMP

Presta and Schrader valve head with quick release lever; plastic base with integrated pressure gauge; 160 psi max.

**SIZE** (LxWxH) 220 x 110 x 670 mm

**MATERIAL** alloy, plastic

**WEIGHT** 1000 g



40419 black'n'glossy black'n'red

## ■ FLOORPUMP HQP

Presta and Schrader valve head with quick release lever; plastic base with integrated pressure gauge; 160 psi max.

**SIZE** (LxWxH) 220 x 110 x 670 mm

**MATERIAL** plastic

**WEIGHT** 750 g



14055 black'n'glossy black

## ■ SHOCKPUMP

patented Schrader valve head prevents air from escaping while unscrewing; pressure release gauge; 300 psi max.; T-shaped handle

**SIZE** (LxWxH) 260 x 28 x 65 mm

**MATERIAL** alloy

**WEIGHT** 150 g



40420 black'n'glossy black'n'red



■ VALVE ADAPTER DISPLAYBOX

adapter kit includes Presta valve; valve for inflatable mattress and valve for balls, 20 pcs



40421

■ VALVE CAP SV/AV

suitable for Presta and Schrader valves; caps in anodized colours;

MATERIAL aluminium



40425 blue



40426 red



40424 black



1

3

2

## Better safe than sorry

No one wants their bike to be stolen. That is why we offer a full range of locks – from occasional use to chain/U-locks to best protect your treasured bike from theft. With a thorough selection of materials and manufacturing technologies our RFR locks give you maximum theft protection. Corrosion resistant, frame mounting options and easy-to-use features, they can always be with you and ever ready for action. Protective rubber sleeves on chains and cables reduce the likelihood of scratching your bike.

### + FEATURES

- 
- 1 **PROTECTION COATING AGAINST SCRATCHES ON THE FRAME**
  - 2 **INTUITIVE HANDLING**
  - 3 **SILICONE COVER**
-

# Locks

The RFR locks offer the perfect level of security for every situation. From leaving your bike in the city centre to popping into the baker's, the three security ratings mean you can choose the right lock to suit your needs.



## LEVELS



| LEVEL 1 : BASIC | LEVEL 2: MEDIUM | LEVEL 3: HIGH |
|-----------------|-----------------|---------------|
|-----------------|-----------------|---------------|



|       |   |     |
|-------|---|-----|
| 13353 | 🔒 | 052 |
| 13371 | 🔒 | 058 |
| 13365 | 🔒 | 057 |
| 13366 | 🔒 | 057 |
| 13367 | 🔒 | 057 |
| 13358 | 🔒 | 053 |
| 13369 | 🔒 | 053 |
| 13376 | 🔒 | 054 |
| 13352 | 🔒 | 054 |
| 13354 | 🔒 | 056 |
| 13372 | 🔒 | 052 |
| 13368 | 🔒 | 052 |
| 13351 | 🔒 | 054 |
| 13350 | 🔒 | 055 |
| 13356 | 🔒 | 055 |
| 13375 | 🔒 | 056 |
| 13363 | 🔒 | 053 |
| 13355 | 🔒 | 056 |
| 13370 | 🔒 | 058 |



## ■ CHAIN LOCK STYLE PRO

5 x 5 x 1100 mm steel chain; loop with EVA coating; stylish nylon coating; 110 x 65 mm U-combination lock with EVA coating

**SIZE** (TxTxL) 5 x 5 x 1100 mm, (LxB) 100 x 95 mm

**MATERIAL** steel, plastic, EVA

**WEIGHT** 1000 g



13373 blue



13374 green



13372 black



## ■ CHAIN LOCK PRO

10 x 10 x 1000 mm steel chain; nylon coating; 110 x 110 mm U-lock; protective cover

**SIZE** (DxDxL) 10 x 10 x 1000 mm, (LxW) 110 x 110 mm

**MATERIAL** plastic, steel

**WEIGHT** 2850 g



13353 black'n'white



## ■ KEY CHAIN LOCK

4 x 4 x 1000 mm steel chain; chain links and body protected against corrosion; extra-safe cylinder lock

**SIZE** 4 x 4 x 1000 mm

**MATERIAL** plastic, steel

**WEIGHT** 480 g



13368 black



## ■ CHAIN LOCK CMPT

5 x 5 x 1000 mm steel chain; nylon coating; 110 x 55 mm U-combination lock; silicone cover

**SIZE** (TxTxL) 5 x 5 x 1000 mm, (LxB) 100 x 55 mm

**MATERIAL** plastic, steel, silicone

**WEIGHT** 455 g



13358 black



## ■ COMBINATION CHAIN LOCK

5 x 5 x 1000 mm steel chain; highly secure; sturdy chain combination lock; chain and lock body protected against corrosion

**SIZE** 5 x 5 x 1000 mm

**MATERIAL** plastic, steel

**WEIGHT** 840 g



13369 black



## ■ CHAIN COMBINATION LOCK STYLE CMPT

3 x 3 x 1200 mm steel chain; very durable chain cable lock; chain and lock body are corrosion-protected; child-friendly

**SIZE** 3 x 3 x 1200 mm

**MATERIAL** plastic, steel

**WEIGHT** 295 g



13362 black



13364 neon pink n' black



13363 neon yellow n' black



## ■ CABLE LOCK DUAL REFLECTOR

12 x 12 x 900 mm steel cable; corrosion-protected dual steel cable and lock body; high security cylinder lock; reflective elements

**SIZE** (TxL) 12 x 12 x 900 mm

**MATERIAL** plastic, steel

**WEIGHT** 600 g



13376 black



## ■ SPIRAL LOCK 10 X 1800 MM

corrosion-protected steel cable and lock body; high-security cylinder lock; incl. bracket

**SIZE** (DxL) 10 x 1800 mm

**MATERIAL** plastic, steel cable

**WEIGHT** 455 g



13351 black'n'white



## ■ SPIRAL CABLE LOCK 12 X 1800 MM

corrosion-protected steel cable and lock body; high security cylinder lock

**SIZE** (DxL) 12 x 1800 mm

**MATERIAL** plastic, steel cable

**WEIGHT** 550 g



13352 black'n'white







## ■ CABLE LOCK 10 X 900 MM

corrosion-protected steel cable and lock body; high security cylinder lock

**SIZE** (DxL) 10 x 900 mm

**MATERIAL** plastic, steel cable

**WEIGHT** 285 g



13350 black'n'white



## ■ SPIRAL LOCK EXTRA 10 X 1800 MM

extension steel cable 10 x 1800 mm

**SIZE** (DxL) 10 x 1800 mm

**MATERIAL** plastic, steel

**WEIGHT** 344 g



13356 black'n'white



### ■ CABLE LOCK CMPT

very durable chain cable lock; chain and lock body are corrosion-protected;

**SIZE** (TxL) 10 x 900 mm

**MATERIAL** steel, plastic

**WEIGHT** 170 g



13375 black



### ■ SPIRAL COMBINATION LOCK 12MM X 1800MM

corrosion-resistant steel cable and lock body; high security cylinder lock

**SIZE** (DxL) 12 x 1800 mm

**MATERIAL** plastic, steel

**WEIGHT** 540 g



13354 black'n'white



### ■ CABLE COMBINATION LOCK STYLE CMPT

very durable chain cable lock; chain and lock body are corrosion-protected; child-friendly

**SIZE** (TxL) 10 x 600 mm

**MATERIAL** plastic, steel

**WEIGHT** 160 g



13359 yellow'n'green



13360 red'n'green



13361 black



13355 green'n'yellow



## ■ FOLDING LOCK CIRCLE PRO

highly secure handy folding lock; 600 mm long; extra safe cylinder lock; includes two keys and bracket

**SIZE (L)** 600 mm

**MATERIAL** plastic, steel

**WEIGHT** 575 g



13365 black



## ■ FOLDING LOCK M

highly secure handy folding lock; 700 mm long; very secure lock cylinder; includes two keys and holder

**SIZE (L)** 700 mm

**MATERIAL** plastic, steel

**WEIGHT** 580 g (incl. bracket)



13366 black



## ■ FOLDING LOCK L

highly secure handy folding lock; 900 mm long; very secure lock cylinder; includes two keys and holder

**SIZE (L)** 900 mm

**MATERIAL** plastic, steel

**WEIGHT** 780 g (incl. bracket)



13367 black



## ■ U-LOCK

highly secure U-lock with hexagonal 14 mm steel bracket; extra secure lock cylinder with vinyl coating to protect against damage; incl. bracket

**SIZE** 146 x 260 mm

**MATERIAL** plastic, steel

**WEIGHT** 825 g, incl. bracket



13371 black



## ■ KEY LOCK MINI

combination lock in mobile format; simple protection against opportunist theft

**SIZE** (LxWxH) 60 x 25 x 9 mm

**MATERIAL** plastic, steel

**WEIGHT** 47 g



13370 black'n'red



## ■ BICYCLE LOCK BRACKET

universal holder

**MATERIAL** plastic



13357 black

## ■ QUICK RELEASE SET WITH THEFT PROTECTION

for 135/145 mm rear wheel; 100/110 mm front wheel; seat post bolt max. 28 mm; Cr-Mo axle; theft protection; very light; easy fitting

**MATERIAL** CrMo steel



**13436** black

## ■ TENSION AXLE SET WITH THEFT PROTECTION

for 165/170 mm rear wheel; 100/110 mm front wheel; Cr-Mo axle; theft protection; very light; easy fitting

**MATERIAL** CrMo steel



**13435** black

## ■ QUICK RELEASE AXLE

quick release axle made out of high-tensile steel; lightweight aluminium lever; rustproof springs; easy installation/removal

**SIZE**

front: 115 mm  
rear: 148 mm

**MATERIAL** Cr-Mo steel



**40401** red



**40402** blue



**40400** black



## Keeping you clean

With a full range of nine different RFR mudguards to choose from - from sturdy alloy versions to versatile snap-on models - everyone will find something suitable for their road, mountain or trekking bike. Each mudguard is designed to offer maximum protection from dirt and spray. Thanks to their new tool-free mounts, they are compatible with virtually every bike.



### FEATURES

- 
- 1 MOUNTABLE WITHOUT TOOLS
  - 2 UNIVERSAL FITTING
-

## ■ MUDGUARD SET TREKKING HPA

very light aluminium mudguard; suitable for trekking bikes; mudguard width 42 mm; mounting material included (stays, screws)

**MATERIAL** alloy

**WEIGHT** 280 g



13770 black

## ■ MUDGUARD SET TREKKING HPP

light plastic mudguard; suitable for trekking bikes; mudguard width 47 mm; mounting material included (stays, screws)

**MATERIAL** plastic

**WEIGHT** 250 g



13773 black

## ■ MUDGUARD SET ROAD

easy-to-fit mudguard; suitable for race bikes; tool-free mounting

**MATERIAL** plastic

**WEIGHT** 233 g



13774 black



### ■ MUDGUARD SET MTB PRO

easy-to-fit mudguard; suitable for 26" and 29" MTB; tool-free mounting

**MATERIAL** alloy



13772 black

### ■ MUDGUARD SET MTB KLICK & GO

simple-to-fit mudguard; suitable for 26 and 29 inch mountain bikes; tool-free mounting; very light and flexible material; suitable for diameters of up to 32.5 mm

**MATERIAL** plastic



14109 white'n'black

### ■ MUDGUARD SET MTB CMPT

easy-to-fit mudguard; suitable for 24 and 26 inch bikes; max. wheel width 2.125"

**MATERIAL** plastic



13771 black

### ■ MUDGUARD DOWNTUBE

easy-to-fit down tube mudguard; protection from dirt and mud

**MATERIAL** plastic



14140 black

### ■ MUDGUARD SET JUNIOR CMPT

easy-to-fit mudguard; suitable for 20 to 22 inch bikes; light; suitable for unicrown and cantilever/caliper brake systems

**MATERIAL** plastic



13775 black

### ■ MUDGUARD SET JUNIOR KLICK&GO

easy-to-fit mudguard; suitable for 20 to 22 inch bikes; light; suitable for unicrown and cantilever/caliper brake systems

**MATERIAL** plastic



13776 white'n'black



## ■ KICKSTAND UNIVERSAL

for 24 to 29 inch bikes; twist to adjust length; aluminium

**MATERIAL** alloy

**WEIGHT** 294 g



13814 black

## ■ KICKSTAND MULTI

for 24 to 29 inch bikes; especially suitable for full-suspension bikes; twist to adjust length; aluminium; mounts to chainstay

**MATERIAL** alloy

**WEIGHT** 240 g



13815 black

## ■ KICKSTAND TREKKING KSA 40

suitable for trekking bikes with a KSA 40 model

**MATERIAL** alloy

**WEIGHT** 321 g



13807 black

## ■ KICKSTAND TREKKING KSA 18(M6)

suitable for trekking bikes with KSA 18 model and M6 thread


**MATERIAL** alloy

**WEIGHT** 350 g



13804 black





## Reliable racks for nearly every bike

Our RFR range consists of six different racks with several customised basket systems and will meet the requirement of nearly every bike and every rider – from a 24" youth bike to the 29" full suspension frame, from the long journey with saddle bags to the shopping trip to the local supermarket. All carriers are manufactured to high standards and use quality material to ensure great load capacity and strength. The uniform Klick & Go snap connection will turn your carriers and baskets into a tough system within seconds.

### + FEATURES

- 1 **KLICK&GO QUICK ATTACHMENT**
- 2 **REAR LIGHT MOUNTING**
- 3 **MOUNT FOR PANNIER BAGS**
- 4 **UNIVERSAL FROM 24 TO 29 INCH**

## ■ REAR CARRIER UNIVERSAL KLICK&GO

universal rear wheel carrier for 24" to 29" bikes; with spring clamp; rear light holder; mounting for pannier bags; 25 kg capacity; compatible with RFR Klick&Go system

**SIZE** (LxWxH) 390 x 200 x 420 mm

**MATERIAL** alloy

**WEIGHT** 1130 g



13806 black

## ■ SEATPOST CARRIER KLICK&GO

simple and safe assembly via 4 screw-system; suitable for 27.2 to 31 mm seat posts; load bearing capacity up to 10 kg; integrated RFR Klick&Go system; reflector and light bracket;

**SIZE** (LxWxH) 450 x 140 x 60 mm

**MATERIAL** alloy

**WEIGHT** 950 g



13813 black

## ■ SEATPOST CARRIER WITH RAIL KLICK&GO

simple and safe assembly via 4 screw-system; suitable for 27.2 to 31 mm seat posts; load bearing capacity up to 10 kg; integrated RFR Klick&Go system; reflector and light bracket; integrated rails for panniers

**SIZE** (LxWxH) 450 x 140 x 60 mm

**MATERIAL** alloy

**WEIGHT** 1114 g



13798 black



## ■ REAR CARRIER UNIVERSAL CMPT

universal rear wheel carrier for 26 to 29 inch bikes; with spring clamp; reflector and light holder; load bearing capacity up to 25 kg

**SIZE** (LxWxH) 350 x 200 x 420 mm

**MATERIAL** alloy

**WEIGHT** 635 g



13796 black

## ■ LOWRIDER SUSPENSION

optimised for bikes with suspension forks (cantilever); fixtures included; maximum load is 10 kg; maximum fork leg diameter 40 mm; a compatibility test for suspension fork is required

**SIZE** (LxWxH) 250 x 190 x 300 mm

**MATERIAL** alloy



13787 black

## ■ LOWRIDER STANDARD

optimised for bikes with rigid forks; fixture material included; max. load is 10 kg

**SIZE** (LxWxH) 250 x 145 x 300 mm

**MATERIAL** alloy



13786 black

## ■ BASKET KLICK&GO

large, close-mesh basket; compatible with RFR Klick&Go system; bracket with handle

**SIZE** (LxWxH) 400 x 300 x 250 mm

**MATERIAL** steel

**WEIGHT** 1510 g



13810 black


## ■ BASKET STANDARD

simple bicycle basket for carriers with spring clamp; perfect for school bags; tool-free fitting onto carriers with spring clamps

**SIZE** (LxWxH) 400 x 300 x 200 mm

**MATERIAL** steel

**WEIGHT** 775 g



13780 black


## ■ BASKET SCHOOL

simple bicycle basket for carriers with spring clamp; perfect for school bags; tool-free fitting onto carriers with spring clamps

**SIZE** (LxWxH) 460 x 250 x 190 mm

**MATERIAL** steel

**WEIGHT** 851 g



13781 black



## ■ FRONT BASKET KLICK&GO E-BIKE

suitable for handlebar diameters of between 25.4 and 31.8 mm, stable, practical bar basket, easy fitting, max. 5 kg; suitable for E-Bikes; incl. bracket

**SIZE** (LxWxH) 320 x 250 x 220 mm

**MATERIAL** Aluminium, Kunststoff

**WEIGHT** 970 g incl. bracket



13891 black

## ■ FRONT BASKET KLICK&GO

suitable for handlebar diameters of between 25.4 and 31.8 mm; stable, practical bar basket; easy fitting; max. 5 kg; incl. bracket

**SIZE** (LxWxH) 320 x 250 x 220 mm

**MATERIAL** alloy, plastic

**WEIGHT** 970 g incl. bracket



13839 black

## ■ FRONT BAG KLICK&GO

Klick&Go handlebar holding system for effortless removal of the bag; reflective logo; suitable for a handlebar diameters of 25.4 - 31.8 mm; carrying handle and shoulder strap

**SIZE** (LxWxH) 260 x 150 x 220 mm

**VOLUME** 8.5 litres

**MATERIAL** 600 D Polyester

**WEIGHT** 726 g (including holder)



13785 black



## ■ FRONT BASKET ADAPTER KLIICK&GO E-BIKE

Suitable for handlebar diameter between 25.4 and 31.8 mm; for E-Bikes; compatible with all Klick&Go front baskets

**MATERIAL** plastic



13892 black

## ■ FRONT CARRIER

high-quality precision-welded aluminium with a max. load capacity of 9 kg; compatible with the cantilever system

**SIZE** (LxWxH) 200 x 120 x 290 mm

**MATERIAL** alloy



13792 black



## ■ STRAP E-BIKES

especially convenient for the E-bike cargo rack; two lashing straps increase stability

**SIZE (L)** 950 mm

**MATERIAL** rubber

**WEIGHT** 62 g



13791 black

## ■ STRAP RADIUS

two lashing straps increase stability; hooks suitable for tubes up to 5 mm in diameter

**SIZE (L)** 700 mm

**MATERIAL** rubber, steel

**WEIGHT** 42 g



13797 black

## ■ STRAP CMPT

two lashing straps increase stability

**SIZE (L)** 700 mm

**MATERIAL** rubber

**WEIGHT** 42 g



13811 black



## ■ TRIANGLE BAG S

reflective logo and reflective piping; tool-free assembly thanks to three velcro fasteners; integrated inner compartment; sturdy material

**SIZE** (LxWxH) 250 x 210 x 50 mm

**VOLUME** about 1.1 litres

**MATERIAL** 600 D polyester

**WEIGHT** 125 g



14044 black

## ■ TRIANGLE BAG M

reflective logo and reflective piping; tool-free assembly thanks to three velcro fasteners; integrated inner compartment; sturdy material

**SIZE** (LxWxH) 250 x 260 x 50 mm

**VOLUME** about 1.4 litres

**MATERIAL** 600 D polyester

**WEIGHT** 140 g



14045 black

## ■ TOP TUBE BAG

reflective logo and reflective piping; excellent on-frame stability thanks to three velcro fasteners; integrated inner compartment for mobile phones with touch screen foil

**SIZE** (LxWxH) 170 x 70 x 90 mm

**VOLUME** about 1 litres

**MATERIAL** 600 D polyester, ripstop fabric, touch screen foil

**WEIGHT** 100 g



14046 black





### ■ REAR CARRIER BAG

cargo bag for rear wheel cargo rack; tool-free installation using velcro fasteners; water-repellant surface; large storage space

**SIZE** (LxWxH) 300 x 330 x 175 mm

**VOLUME** 15 Litres

**MATERIAL** 600 D polyester



14047 black

### ■ REAR CARRIER BAG DOUBLE

double pack bag for rear wheel cargo rack; tool-free installation using velcro fasteners; water-repellant surface; large storage space

**SIZE** (LxWxH) 300 x 330 x 175 mm

**VOLUME** 32 Liters

**MATERIAL** 600 D polyester



14048 black

## MOBILE PHONE MOUNT IPHONE 5 & 5S

Klick&Go holder for simple removal of mobile phone bag; compatible with iPhone 5 & 5S; rear side with adapter is reinforced

**SIZE** (LxWxH) 128 x 65 x 10 mm

**MATERIAL** 600 D polyester, ripstop fabric, touch screen foil

**WEIGHT** 45 g



14050 black

## MOBILE PHONE MOUNT IPHONE 6+

Klick&Go holder for simple removal of mobile phone bag; ideal for iPhone 6+ & 6S+; rear side with adapter is reinforced

**SIZE** (LxWxH) 144 x 72 x 10 mm

**MATERIAL** 600 D polyester, ripstop fabric, touch screen foil

**WEIGHT** 52 g



14051 black

## MOBILE PHONE MOUNT UNIVERSAL

Klick&Go holder for simple removal of mobile phone bag; rear side with adapter is reinforced

**SIZE** (LxWxH) 162 x 82 x 10 mm

**MATERIAL** 600 D polyester, ripstop fabric, touch screen foil

**WEIGHT** 65 g



14052 black

## ■ BELL STANDARD

90° adjustable mallet for left and right fitting; diameter 22-24 mm; screw cap

SIZE (DxH) 40 x 35 mm

MATERIAL alloy, plastic

WEIGHT 34 g



15053 blue



15054 red



15051 black

## ■ MINI - BELL

very light bell; suitable for left and right fitting; diameter 22-24 mm; screw cap

SIZE (DxH) 34 x 24 mm

MATERIAL steel, plastic

WEIGHT 25 g



15058 white



15057 black

## ■ BELL CLIP

adjustable bell; diameter 19.2-25.4 mm; quick release; tool-free fastener

SIZE (DxH) 30 x 15 mm

MATERIAL alloy, plastic



15052 black

## ■ BELL BOX CLIP

20 .Clip' bike bells; adjustable bell; diameter 19.2 - 25.4 mm; quick release fastener; tool free mounting

MATERIAL alloy, plastic



15062 black

## ■ BELL BOX STANDARD

20 'Standard' bike bells in nice colours; contents: 10 x black, 5 x blue, 5 x red; 90° adjustable mallet and thus suitable for left and right fitting; diameter 22 - 24 mm; screw cap

**MATERIAL** alloy, plastic



**15056** black'n'blue'n'red

## ■ BELL BOX MINI BRASS PRO

miniature brass bell with rubber closure; especially clear ring; contents: 20 "mini" PRO black bike bells; tool-free assembly; handlebar diameter between 22.2 mm and 31.8 mm; simple design

**MATERIAL** brass, rubber



**15065** black'n'white

## ■ BELL BOX MINI PRO

mini bell with rubber fastening; contents: 15 x black, 5 'Mini' PRO white bike bells; tool-free fitting; handlebar diameter from 22.2 mm to 31.8 mm; simple design

**MATERIAL** alloy, plastic



**15059** black'n'white

## ■ BELL BOX MINI

20 bells; contents: 15 x black, 5 'Mini' white bike bells; very light bell; suitable for left and right fitting; screw cap

**MATERIAL** steel, plastic



**15060** black'n'white

## ■ BELL BOX URBAN

retro bells; suitable for handlebar diameter of 22.2 mm; easy fitting; 12 pcs

**MATERIAL** steel



**15064**

## ■ BELL BOX JUNIOR

kids' bells with nice design; suitable for handlebar diameter of 22.2 mm; easy fitting; 16 pcs

**MATERIAL** steel, alloy



**15063**

## REPAIR PUMP

2in1 function; plugs holes in tubeless tyres and inner tubes; tubeless tyre and inner tube are pumped up to 5.5 bar; suitable for MTB and trekking bikes; special sealant

VOLUME 125 ml



Not available in all markets

14180

## SEALING LIQUID CMPT

closes small and medium holes in tubeless ready and tubeless tyres; forms an ultra-thin sealing film; easy handling

VOLUME 250 ml



Not available in all markets

14181

## SEALING LIQUID PRO

perfect sealant for tubeless ready systems; plugs small and medium holes in tubeless ready and tubeless tyres; forms an ultra-thin sealing film; easy handling

VOLUME 125 ml



Not available in all markets

14182

## DISPENSER

sealant dosing aid for Schrader and Presta valves



Not available in all markets

14183

## BIKE POLISH

bike polish suitable for aluminium and carbon frames; protects and polishes all metall, carbon and plastic parts; antistatic film protects against dirt and dust; polish restores UV-protection of frame

VOLUME 200 ml



Not available in all markets

14184

## BIKE CLEANER

bike cleaner removes tar, dirt and oil; easy application via adjustable atomiser; chrome and plastic parts remain unaffected

VOLUME 500 ml



Not available in all markets

14185

## ■ CHAIN WASHER

chain cleaner loosens stubborn stains, such as fats, oil, resin; chrome and plastic parts remain unaffected

**VOLUME** 200 ml



Not available in all markets

**14186**

## ■ CHAIN OIL UNIVERSAL

universal chain oil; easy application via dosing aid; suitable for all weather conditions; very good lubrication

**VOLUME** 125 ml



Not available in all markets

**14187**

## ■ PTFE GREASE

teflon-based lubricant; good lubrication and Creep characteristics; suitable for all mechanically stressed parts; teflon particles form a thin protective film and guarantee free movement; easy handling via spray function

**VOLUME** 250 ml



Not available in all markets

**14188**

## ■ MULTI OIL CMPT

multi-purpose oil cleans, lubricates and cares; forms a preventive protective film; easy handling and spray function

**VOLUME** 200 ml



Not available in all markets

**14189**

## ■ GREASE PRO

multi-purpose grease is very pressure and temperature resistant; very high lubricity

**WEIGHT** 150 g



Not available in all markets

**14190**

## ■ GREASE PRO


multi-purpose grease is very pressure- and temperature-resistant; very high lubricity

**WEIGHT** 500 g



Not available in all markets

**14191**



## Comfort and discreet looks united

The RFR range of grips has something for everyone, from the biomechanically optimised comfort grips to sporty standard grips.



### FEATURES

---

- 1 **SUPPORT AREA**
  - 2 **ERGONOMIC SHAPE**
  - 3 **PATTERNED SURFACE**
  - 4 **TRIPLE-DENSITY CONSTRUCTION**
-



## COMFORT GRIPS

ergonomic grip; triple-density material; one-sided screw handle

**MATERIAL** polypropylene, kraton

**WEIGHT** 190 g

**SIZE S** (DxL) 28.5 x 136 mm

**SIZE L** (DxL) 30.5 x 136 mm



**SIZE S** 11210 **SIZE L** 11211  
white'n'grey



**SIZE S** 11205 **SIZE L** 11206  
black'n'black



**SIZE S** 11208 **SIZE L** 11209  
black'n'grey

## COMFORT GRIPS ROHLOFF/NEXUS/NUVINCI

adapted to Rohloff/Nexus/NuVinci switching system; triple-density material; ergonomic handle shape; perfect grip

**MATERIAL** polypropylene, kraton

**WEIGHT** 195 g

**SIZE S**

(DxL) 28.5 x 136 mm

(DxL) 28.5 x 96 mm

**SIZE L**

(DxL) 30.5 x 136 mm

(DxL) 30.5 x 96 mm



**SIZE S** 11236 **SIZE L** 11237  
black'n'grey

## GRIPS COMFORT CORK

breathable, sweat-absorbing and optimum skin compatibility; very grippy and comfortable surface; ergonomic handle shape

**SIZE** (DxL) 31 x 128 mm

**MATERIAL** cork

**WEIGHT** 200 g



11315 nature


## ■ GRIPS PRO LEATHER

very grippy and comfortable surface

**SIZE** (DxL) 33 x 135 mm

**MATERIAL** leather, polypropylene

**WEIGHT** 100 g



11309 nature

## ■ GRIPS PRO CORK

very grippy and comfortable surface; sweat-absorbing

**SIZE** (DxL) 30 x 128 mm

**MATERIAL** cork

**WEIGHT** 112 g



11307 nature

## ■ GRIPS PRO GRIP TAPE

very grippy and comfortable surface; removable; vibration-damping material

**SIZE** (DxL) 32.5 x 128 mm

**MATERIAL** polyurethane, polypropylene

**WEIGHT** 123 g



11314 white

11313 black

## STANDARD GRIPS

very grippy and comfortable surface

SIZE (L) 128 mm

MATERIAL kraton rubber

WEIGHT 85 g



11207 black



11302 white



11303 red



11304 blue



11305 green

## GRIPS CMPT FOAM

suitable for mountain bike range; vibration-damping material; very grippy and comfortable surface; ultra light

SIZE (DxL) 27 x 126 mm

MATERIAL EVA-Foam

WEIGHT 58 g



11310 black



11312 blue



11311 red

## GRIPS CMPT MULTI

suitable for multifunctional handlebar; vibration-damping high-density material

SIZE (DxL) 31 x 400 mm

MATERIAL EVA-Foam

WEIGHT 75 g



11308 black



## Alternative hand positions

Our RFR bar ends relieve the hands by offering an alternative hand position and are also a great help when getting into a low aero position.

### + FEATURES

---

- 1 THUMB TRAY
  - 2 3D FORGED ALUMINIUM
  - 3 ERGONOMIC SHAPE
-

## ■ BAR ENDS STANDARD

bar ends Al 6061-T6; 3D forged

**SIZE** (DxL) 22.2 x 90 mm

**MATERIAL** 6061 - T6 alloy

**WEIGHT** 103 g



11597 black

## ■ BAR ENDS ERGONOMIC

bar ends Al 6061-T6; 3D forged

**SIZE** (DxL) 22.2 x 100 mm

**MATERIAL** 6061 - T6 alloy

**WEIGHT** 142 g



11598 black

## ■ BAR ENDS RACE CARBON

outstanding rigidity and resilience; sporty design; very light; fits to the hand; made from high quality carbon

**SIZE** L: 87 mm

**MATERIAL** carbon 3K

**WEIGHT** 99 g



11602 carbon

## ■ BAR ENDS RACE ERGONOMIC CARBON

outstanding rigidity and resilience; ergonomic design; very light; fits to the hand; made from high quality carbon

**SIZE L:** 110 mm

**MATERIAL** carbon 3K

**WEIGHT** 125 g



11603 carbon

## ■ ADJUSTABLE BAR ENDS TREKKING

adjustable bar ends Al 6061-T6

**SIZE (DxL)** 22.2 x 185 mm

**MATERIAL** 6061 alloy - T6

**WEIGHT** 225 g



11595 black

## ■ BAR ENDS TREKKING CMPT

bar ends Al 6061-T6; 3D forged; 145 mm

**SIZE (DxL)** 22.2 x 145 mm

**MATERIAL** 6061 alloy - T6

**WEIGHT** 135 g



11596 black

## ■ STEM PRO

3D forged aluminium; 4-point bar clamp; sporty design; 35° angle for comfort-oriented riders

**MATERIAL** 6061 alloy

**WEIGHT** 146 g

**SIZE**

(DxL) 25.4 x 50 mm x 35°

(DxL) 25.4 x 70 mm x 35°

(DxL) 25.4 x 90 mm x 35°

(DxL) 25.4 x 110 mm x 6°

**13394**

**SIZE**

(DxL) 31.8 mm x 50 mm x 35°

(DxL) 31.8 mm x 70 mm x 35°

(DxL) 31.8 mm x 90 mm x 35°

(DxL) 31.8 mm x 110 mm x 35°

**13397**



glossy black'n'grey

## ■ STEM PRO

3D forged aluminium; 4-point bar clamp; sporty design; 17° angle as compromise between sporty and comfort-oriented

**MATERIAL** 6061 alloy

**WEIGHT** 135 g

**SIZE**

(DxL) 31.8 x 60 mm x 17°

(DxL) 31.8 x 80 mm x 17°

(DxL) 31.8 x 100 mm x 17°

(DxL) 31.8 x 120 mm x 17°

**13396**



glossy black'n'grey

## ■ STEM PRO

3D forged aluminium; 4-point bar clamp; sporty design; 6° angle for sporty and ambitious riders

**MATERIAL** 6061 alloy

**WEIGHT** 163 g

**SIZE**

(DxL) 25.4 x 60 mm x 6°

(DxL) 25.4 x 80 mm x 6°

(DxL) 25.4 x 100 mm x 6°

(DxL) 25.4 x 120mm x 6°

**13393**

**SIZE**

(DxL) 31.8 x 60 mm x 6°

(DxL) 31.8 x 80 mm x 6°

(DxL) 31.8 x 100 mm x 6°

(DxL) 31.8 x 120 mm x 6°

**13395**



glossy black'n'grey

## ■ STEM CMPT

3D forged aluminium; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 136 g

**SIZE**

(DxL) 25.4 x 70 mm x 35°

(DxL) 25.4 x 90 mm x 35°

(DxL) 25.4 x 110 mm x 35°

**13388**

**SIZE**

(DxL) 31.8 x 70 mm x 35°

(DxL) 31.8 x 90 mm x 35°

(DxL) 31.8 x 110 mm x 35°

**13392**



glossy black'n'grey

## ■ STEM CMPT

3D forged aluminium; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 133 g

**SIZE**

(DxL) 31.8 x 80 mm x 17°

(DxL) 31.8 x 100 mm x 17°

(DxL) 31.8 x 120 mm x 17°

**13391**



glossy black'n'grey

## ■ STEM CMPT

3D forged aluminium; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 127 g

**SIZE**

(DxL) 25.4 x 80 mm x 6°

(DxL) 25.4 x 100 mm x 6°

(DxL) 25.4 x 120 mm x 6°

**13389**

**SIZE**

(DxL) 31.8 x 80 mm x 6°

(DxL) 31.8 x 100 mm x 6°

(DxL) 31.8 x 120 mm x 6°

**13390**



glossy black'n'grey



## ■ STEM BLACK

3D forged aluminium; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 136 g

**SIZE**

(DxLxC) 25.4 x 70 mm x 35°

(DxLxC) 25.4 x 90 mm x 35°

(DxLxC) 25.4 x 110 mm x 35°

**13401**

**SIZE**

(DxLxC) 31.8 x 70 mm x 35°

(DxLxC) 31.8 x 90 mm x 35°

(DxLxC) 31.8 x 110 mm x 35°

**13407**



black

## ■ STEM BLACK

3D forged aluminium; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 133 g

**SIZE**

(DxLxC) 31.8 x 80 mm x 17°

(DxLxC) 31.8 x 100 mm x 17°

(DxLxC) 31.8 x 120 mm x 17°

**13410**



black

## ■ STEM BLACK

3D forged aluminium; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 127 g

**SIZE**

(DxLxC) 25.4 x 80 mm x 6°

(DxLxC) 25.4 x 100 mm x 6°

(DxLxC) 25.4 x 120 mm x 6°

**13404**

**SIZE**

(DxLxC) 31.8 x 80 mm x 6°

(DxLxC) 31.8 x 100 mm x 6°

(DxLxC) 31.8 x 120 mm x 6°

**13413**



black

## ■ STEM TRAIL BLACK

3D forged aluminium; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 148 g

**SIZE**

(DxL) 31.8 x 35 mm

(DxL) 31.8 x 45 mm

(DxL) 31.8 x 55 mm

**13398**



black'n'grey

## ■ RAISED ADJUSTABLE STEM TREKKING BLACK

3D forged aluminium; heightened adjustable stem -10° to +70°; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 308 g

**SIZE (DxL)** 25.4 x 80 mm

**13405**

**SIZE (DxL)** 25.4 x 110 mm

**13406**



black

## ■ RAISED ADJUSTABLE STEM MTB BLACK

**SIZE (DxL)** 31.8 x 80 mm

**13414**

**SIZE (DxL)** 31.8 x 110 mm

**13417**



black

## ■ ADJUSTABLE STEM WITH STEERER

3D forged aluminium; adjustable stem 0° to +70° with 25.4 mm shaft; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 460 g

**SIZE (DxL)** 25.4 x 75 mm, shaft diameter 25.4 mm

**13450**

**SIZE (DxL)** 25.4 x 105 mm, shaft diameter 25.4 mm

**13451**

**SIZE (DxL)** 31.8 x 75 mm, shaft diameter 25.4 mm

**13452**

**SIZE (DxL)** 31.8 x 105 mm, shaft diameter 25.4 mm

**13453**



black

## ■ ADJUSTABLE STEM BLACK

3D forged aluminium; adjustable stem  $-10^{\circ}$  to  $+80^{\circ}$ ; fourfold bar clamp

**MATERIAL** 6061 alloy

**WEIGHT** 293 g

**SIZE**

(DxL) 25.4 x 90 mm

(DxL) 25.4 x 120 mm

**13416**



## ■ ADJUSTABLE STEM BLACK

**SIZE**

(DxL) 31.8 x 90 mm

(DxL) 31.8 x 120 mm

**13418**

black

## ■ TUBE EXTENSION BLACK

6061 aluminium head tube extension adds 67 mm to a 28.6 mm head tube to raise the stem and give a more upright riding position

**SIZE** (DxH) 28.6 x 67 mm

**MATERIAL** 6061 alloy

**WEIGHT** 204 g



**13415** black

## ■ AHEAD CAP

aluminium handlebar control set with star nut; for 1" or 1 1/8"



**40432** blue



**40433** red



**40431** black

## ■ HANDLEBAR STANDARD

flat bar for trekking bikes

**SIZE** (DxLxBS) 25.4 x 620 mm x 5°

**MATERIAL** 6061 alloy

**WEIGHT** 190 g



13420 black

## ■ RISER BAR

low riser bar; more comfortable seating position thanks to rise of the handlebar

**SIZE** (DxLxDS) 25.4 x 640 x 20 mm x 5°

**MATERIAL** 6061 alloy

**WEIGHT** 278 g



13421 black

## ■ HANDLEBAR COMFORT

slightly elevated curved bar; suitable for trekking bikes

**SIZE** (DxLxBS) 31.8 x 660 mm x 5°

**MATERIAL** 6061 alloy

**WEIGHT** 230 g



13428 black

## ■ HANDLEBAR STANDARD

straight handlebar; suitable for trekking bikes

**SIZE** (DxLxBS) 25.4 x 620 mm x 5°

**MATERIAL** 6061 alloy

**WEIGHT** 190 g



13681 glossy black 'n' grey

## ■ HANDLEBAR RISER

low riser bar; comfortable seating position thanks to rise of the handlebar

**SIZE** (DxLxBS) 25.4 x 640 x 20 mm x 5°

**MATERIAL** 6061 alloy

**WEIGHT** 270 g



13684 glossy black 'n' grey

## ■ HANDLEBAR COMFORT

lightly raised curved handlebars adapted for trekking bikes

**SIZE** (DxL) 31.8 x 660 mm

**MATERIAL** 6061 alloy

**WEIGHT** 230 g



13680 glossy black 'n' grey

## ■ HANDLEBAR STANDARD

flat bar for MTB

**SIZE** (DxLxBS) 31.8 x 720 mm x 8°

**MATERIAL** 6061 alloy

**WEIGHT** 240 g



13422 black

## ■ RISER BAR

low riser bar; wide, sporty MTB bar

**SIZE** (DxLxBS) 31.8 x 700 x 19 mm x 9°

**MATERIAL** 6061 alloy

**WEIGHT** 310 g



13423 black

## ■ RISER BAR

riser bar; wide, sporty MTB bar

**SIZE** (DxLxBS) 31.8 x 700 x 38 mm x 9°

**MATERIAL** 6061 alloy

**WEIGHT** 370 g



13424 black

## ■ HANDLEBAR FLAT TRAIL

straight handlebar; suitable for MTB

**SIZE** (DxLxBS) 31.8 x 720 mm x 8°

**MATERIAL** 6061 alloy

**WEIGHT** 240 g



13682 glossy black 'n' grey

## ■ HANDLEBAR RISER TRAIL

low riser bar; more comfortable seated position thanks to elevation of the handlebars

**SIZE** (DxLxRxBS) 31.8 x 700 x 19 mm x 9°

**MATERIAL** 6061 alloy

**WEIGHT** 310 g



13685 glossy black 'n' grey

## ■ HANDLEBAR RISER TRAIL

riser bar; wide, sporty MTB handlebar

**SIZE** (DxLxRxBS) 31.8 x 700 x 38 mm x 9°

**MATERIAL** 6061 alloy

**WEIGHT** 370 g



13686 glossy black 'n' grey

## ■ RISER BAR

riser bar; extremely wide, sporty MTB bar

**SIZE** [DxLxBS] 31.8 x 740 x 19 mm x 9°

**MATERIAL** 6061 alloy

**WEIGHT** 310 g



13429 black

## ■ HANDLEBAR RISER TRAIL

riser bar; extremely wide, sporty MTB handlebar

**SIZE** [DxLxRxBS] 31.8 x 760 x 20 mm x 9°

**MATERIAL** 6061 alloy



13688 glossy black'n'grey

## ■ HANDLEBAR FLAT TRAIL

straight handlebar; extremely wide; suitable for MTB

**SIZE** [DxLxBS] 31.8 x 760 mm x 9°

**MATERIAL** 6061 alloy



13683 glossy black'n'grey



## ■ HANDLEBAR RISER TRAIL

riser bar; extremely wide, sporty MTB handlebar

**SIZE** (DxLxRxBS) 31.8 x 740 x 19 mm x 9°

**MATERIAL** 6061 alloy

**WEIGHT** 310 g



13687 glossy black'n'grey

## ■ HANDLEBAR RISER TRAIL

high riser bar; extremely wide, sporty MTB handlebar

**SIZE** (DxLxRxBS) 31.8 x 760 x 38 mm x 9°

**MATERIAL** 6061 alloy



13689 glossy black'n'grey

## ■ HANDLEBAR EXTENSION TRIATHLON

two-piece handlebar extension; foam-padded arm supports; adjustable extension length and arm pads; simple clamping

**SIZE** (DxL) 31.8 x 340 mm

**MATERIAL** 6061 alloy - T6

**WEIGHT** 475 g



11317 glossy black'n'grey

## SEATCLAMP WITH QUICK RELEASE 31.8 MM

attractive design; 6061-T6 aluminium seatclamp; very strong and light; fast, tool-free quick-release fixing

SIZE (D) 31.8 mm

MATERIAL 6061 alloy

WEIGHT 40 g



13464 grey'n'blue



13454 black'n'blue



13456 black'n'red



13466 grey'n'red



13426 black

## SEATCLAMP 31.8 MM

attractive design; 6061-T6 aluminium seatclamp; very strong and light

SIZE (D) 31.8 mm

MATERIAL 6061 alloy

WEIGHT 22 g



13458 blue



13427 black



13460 red



13477 grey

## SEATCLAMP WITH QUICK RELEASE 34.9 MM

attractive design; 6061-T6 aluminium seatclamp; very strong and light; fast, tool-free quick-release fixing

SIZE (D) 34.9 mm

MATERIAL 6061 alloy

WEIGHT 40 g



13465 grey'n'blue



13455 black'n'blue



13457 black'n'red



13467 grey'n'red



13426 black

## SEATCLAMP 34.9 MM

attractive design; 6061-T6 aluminium seatclamp; very strong and light

SIZE (D) 34.9 mm

MATERIAL 6061 alloy

WEIGHT 24 g



13459 blue



13427 black



13461 red



13478 grey



## SEATCLAMP ULTRALIGHT 31.8 MM

super light; 6061-T6 aluminium seatclamp; CNC machined

SIZE (D) 31.8 mm

MATERIAL 6061 alloy

WEIGHT 10 g



13468 blue



13470 red



13472 grey



13462 black

## SEATCLAMP ULTRALIGHT 34.9 MM

super light; 6061-T6 aluminium seatclamp; CNC machined

SIZE (D) 34.9 mm

MATERIAL 6061 alloy

WEIGHT 11 g



13469 blue



13471 red



13473 grey



13463 black



## Safety and a wide selection

All RFR seat posts are EN tested and guaranteed for maximum safety. We offer a wide variety of diameters and lengths for every purpose (city, trekking, MTB, road). For city and trekking, our suspension posts add some extra comfort. With two rider weight ranges (60-90kg and 80-120kg), it won't be hard to get a match. Also new in the line is the RFR dropper seat post – with or without a bar-mounted remote.

### + FEATURES

- 
- 1 **REMOTE CONTROL**
  - 2 **120 MILLIMETER INFINITELY ADJUSTABLE**
  - 3 **INTERNAL CABLE ROUTING COMPATIBLE**
-

## ■ TELESCOPIC SEATPOST PRO "INSIDE"

infinitely adjustable seatpost with remote control; suitable for frames with internal routing; compatible with all CUBE Stealth Ready frames; 120 mm adjustment range; 15 mm offset; maximum recommended weight 90 kg

**MATERIAL** alloy

**WEIGHT** 738 g

**SIZE** (DxL) 31.6 x 425 mm

13480

**SIZE** (DxL) 30.9 x 425 mm

13481



black



133

## ■ TELESCOPIC SEATPOST PRO "OUTSIDE"

infinitely adjustable seatpost with remote control; suitable for external routing; 120 mm adjustment; 15 mm offset; maximum recommended weight 90 kg

**MATERIAL** alloy


**WEIGHT** 738 g

**SIZE** (DxL) 31.6 x 425 mm

13482

**SIZE** (DxL) 30.9 x 425 mm

13483



black



133

## ■ TELESCOPIC SEATPOST BLACK

height-adjustable seat post; adjustment range: 95 mm

**SIZE** (LxD) 400 x 31.6 mm

**MATERIAL** 6061 alloy

**WEIGHT** 658 g



13432 black





## ■ SUSPENSION POST

40 mm suspension; offset 8 mm; elastomer suspension; innovative patented head; light;

**MATERIAL** alloy

**WEIGHT** 450 g

**LOAD RANGE** 60 - 90 kg

**SIZE (DxL)** 27.2 x 400 mm

**13484**

**LOAD RANGE** 80 - 120 kg

**SIZE (DxL)** 27.2 x 400 mm

**13485**

**LOAD RANGE** 60 - 90 kg

**SIZE (DxL)** 30.9 x 400 mm

**13486**

**LOAD RANGE** 80 - 120 kg

**SIZE (DxL)** 30.9 x 400 mm

**13487**

**LOAD RANGE** 60 - 90 kg

**SIZE (DxL)** 31.6 x 400 mm

**13488**

**LOAD RANGE** 80 - 120 kg

**SIZE (DxL)** 31.6 x 400 mm

**13489**



black

## ■ SUSPENSION POST BLACK

adjustable suspension travel of 45 mm(LxB); elastomer suspension; adjustable suspension; forged caliper head; adjustable seat angle +15° to -15°

**MATERIAL** alloy

**WEIGHT** 420 g

**LOAD RANGE** adjustable angle +15°/-15°

**SIZE (LxD)** 300 x 27.2 mm

**13400**

**LOAD RANGE** adjustable angle +15°/-15°

**SIZE (LxD)** 300 x 27.2 mm

**13402**



black

## ■ SEATPOST PROLIGHT BLACK

lightweight seat post

**MATERIAL** 6061 alloy

**WEIGHT** 290 g

**SIZE (LxD)** 400 x 27.2 mm

**13430**

**SIZE (LxD)** 400 x 30.9 mm


**13433**

**SIZE (LxD)** 400 x 31.6 mm

**13431**



black



## Sporty and comfortable

Our RFR saddle series is aimed at sporty and recreational riders. Cutouts, an anatomically formed seating area and two-layer padding (Dual Density Technology) add extra comfort.



### FEATURES

---

- 1 **ERGONOMIC SEAT PADDING**
  - 2 **DUAL-DENSITY TECHNOLOGY**
  - 3 **ANATOMIC CUTOUT**
-

## ■ SADDLE RACE

sporty saddle; dual-density technology; suitable for both road and MTB bikes

**SIZE** (WxL) 140 x 280 mm

**MATERIAL** PU cover

**WEIGHT** 325 g



11505 black

## ■ SADDLE MTB SPORT D2

PU cover

**SIZE** (WxL) 144 x 164 mm

**MATERIAL** PU cover

**WEIGHT** 340 g



11506 black

## ■ SADDLE MTB COMFORT D2

dual-density technology

**SIZE** (WxL) 168 x 266 mm

**MATERIAL** PU cover

**WEIGHT** 410 g



11507 black

## ■ SADDLE MTB COMFORT D2 & CUTOUT

comfortable MTB seat; dual-density technology with anatomical cutout

**SIZE** (WxL) 150 x 265 mm

**MATERIAL** PU cover

**WEIGHT** 347 g



11514 black

## ■ SADDLE MTB SPORT WITH CUTOUT

anatomical cutout; light foam with high density

**SIZE** (WxL) 155 x 280 mm

**MATERIAL** PU cover

**WEIGHT** 274 g



11513 black

## ■ SADDLE URBAN HPL

high-quality faux leather; decorative rivets; pressure release through opening in plastic tray; delivers optimum comfort; ideal for city, urban and trekking bikes

**SIZE** (WxL) 152 x 268 mm

**MATERIAL** synthetic leather

**WEIGHT** 342 g



11504 brown

## ■ SADDLE TREKKING STANDARD D2 & GEL

dual-density technology; gel window

**SIZE** (WxL) 168 x 270 mm

**MATERIAL** PU cover, Gel

**WEIGHT** 450 g



11508 black

## ■ SADDLE TREKKING COMFORT& GEL & CUT

dual-density technology; ergonomic slot; gel window

**SIZE** (WxL) 149 x 271 mm

**MATERIAL** PU cover, gel

**WEIGHT** 350 g



11509 black

## ■ SADDLE TREKKING CITY D2 & GEL

large, wide CITY seat; comfortable ride thanks to dual-density technology; gel window

**SIZE** (WxL) 177 x 260 mm

**MATERIAL** PU cover, gel

**WEIGHT** 500 g



11510 black

## ■ SADDLE TREKKING STANDARD D2

standard TREKKING seat; dual-density technology

**SIZE** (WxL) 180 x 280 mm

**MATERIAL** PU cover

**WEIGHT** 430 g



11515 black

## ■ SADDLE TREKKING TOUR

wide TREKKING saddle; comfortable ride thanks to new manufacturing technology; anatomical shape; hand grip on saddle; adapted for e-bikes and trekking bikes

**SIZE** (WxL) 174 x 264 mm

**MATERIAL** PU cover

**WEIGHT** 343 g



11523 black

## ■ SADDLE CITY COMFORT D2 & ELASTOMER

large, wide city seat; comfortable ride thanks to elastomer suspension and dual-density technology; anatomical shape

**SIZE** (WxL) 213 x 272 mm

**MATERIAL** PU cover

**WEIGHT** 660 g



11516 black

## ■ SADDLE CITY STANDARD D2

large, wide CITY seat; comfortable ride thanks to dual-density technology

**SIZE** (WxL) 185 x 260 mm

**MATERIAL** PU cover

**WEIGHT** 453 g



11517 black

## ■ SADDLE CITY TOUR

large, wide CITY saddle; comfortable ride thanks to new manufacturing technology; anatomical shape; hand grip on saddle; for e-bikes and trekking bikes

**SIZE** (WxL) 193 x 255 mm

**MATERIAL** PU cover

**WEIGHT** 379 g



11522 black

## ■ SADDLE CITY COMFORT

big, wide CITY saddle; comfortable ride thanks to new memory foam technology; anatomical shape; adapted for e-bikes and trekking bikes

**SIZE** (WxL) 205 x 264 mm

**MATERIAL** PU cover, gel

**WEIGHT** 722 g



11524 black

## ■ SADDLE COATING MTB/TREKKING GEL

ergonomic seat cover with gel; easy fitting; suitable for MTB/TREKKING seats

**SIZE** (WxL) 178-203 x 254-280 mm

**MATERIAL** lycra, gel

**WEIGHT** 225 g



11518 black

## ■ SADDLE COATING TREKKING/CITY GEL

ergonomic seat cover with gel; suitable for TREKKING/CITY seats

**SIZE** (WxL) 203-244 x 254-280 mm

**MATERIAL** lycra, gel

**WEIGHT** 305 g



11519 black



## ■ SADDLE CITY HPL

high-quality faux leather; decorative rivets; spring-cushioned steel frame provides optimum comfort; ideal for city and trekking bikes

**SIZE** (WxL) 220 x 260 mm

**MATERIAL** synthetic leather

**WEIGHT** 690 g



11503 brown

## ■ SADDLE RAIN COVER MTB/TREKKING

water protection; suitable for MTB seats

**MATERIAL** lycra, PVC

**WEIGHT** 18 g



11520 black

## ■ SADDLE RAIN COVER TREKKING/CITY


water protection; suitable for TREKKING/CITY seats

**MATERIAL** lycra, PVC

**WEIGHT** 22 g



11521 black



■ PEDALS FLAT CMPT

light flat pedal; replaceable pins; Cr-Mo axle

SIZE (LxW) 102 x 110 mm

MATERIAL alloy


WEIGHT 137 g



14146 red



14147 green



14145 blue



14148 grey



14157 neon yellow



14158 salmon red



14131 black

## ■ PEDALS FLAT RACE

light flat pedal; sealed bearings; replaceable anti-slip pins; Cr-Mo axle

**SIZE** (LxW) 102 x 110 mm

**MATERIAL** alloy


**WEIGHT** 137 g



14146 red



14147 green



14145 blue



14148 grey



14157 neon yellow



14158 salmon red



14131 black

## ■ PEDALE FLAT ETP

ultra light flat pedal made of thermoplastic material; industrial bearings; replaceable non-slip pins; Cr-Mo axle

**SIZE** (LxB) 110 x 105 mm

**MATERIAL** Thermoplast

**WEIGHT** 350 g



14136 black



14137 white



14138 red



14139 green

## ■ PEDALS FLAT SL MAGNESIUM

ultra-light flat pedal made of magnesium; low profile; replaceable pins; sealed bearings and LSL Bushing

**SIZE** (LxB) 130 x 111 mm

**MATERIAL** magnesium, steel

**WEIGHT** 354 g



14118 black

## ■ PEDALS FLAT SL

light flat pedal; low profile; replaceable pins; sealed bearings and LSL Bushing

**SIZE** (LxB) 130 x 111 mm

**MATERIAL** alloy, steel

**WEIGHT** 410 g



14116 blue

14117 red

14119 titanium grey



14115 black

## ■ PEDALS TWIN

2in1 pedal; SPD-compatible; simple clip-in and clip-out; Cr-Mo axle for long durability

**SIZE** (LxW) 100 x 67 mm

**MATERIAL** alloy, steel

**WEIGHT** 462 g



14133 black



■ PEDALS FLAT WITH CLIPLESS SYSTEM

flat pedal with clipless system on one side; SPD-compatible; sealed bearings; replaceable anti-slip pins; CNC-machined Cr-Mo axle

SIZE (LxW) 100 x 100 mm

MATERIAL alloy, steel

WEIGHT 500 g



14154 black

## ■ PEDALS COMFORT CMPT

comfort pedal with non-slip kraton pad; Cr-Mo axle for long durability; integrated reflectors

**SIZE** (LxW) 105 x 80 mm

**MATERIAL** alloy, kraton rubber, steel

**WEIGHT** 348 g



14134 black

## ■ PEDALS STANDARD PRO

non-slip aluminium pedal with high-quality bearing; chrome pedal shaft; includes reflectors

**SIZE** (LxB) 102 x 67 mm

**MATERIAL** alloy, steel

**WEIGHT** 348 g



14149 black

## ■ PEDALS STANDARD CMPT

handy aluminium pedal; Cr-Mo axle; includes reflectors

**SIZE** (LxW) 102 x 67 mm

**MATERIAL** alloy, steel

**WEIGHT** 280 g



14132 black

## ■ PEDALS COMFORT RACE

comfort pedal with industrial bearings; non-slip kraton pad; Cr-Mo axle for long durability; integrated reflectors

**SIZE** (LxW) 105 x 80 mm

**MATERIAL** alloy, kraton rubber, steel

**WEIGHT** 348 g



14135 black

## ■ PEDALS FLAT HQP CMPT

light flat pedal; steel alloy shaft; ball bearing mounted; sturdy synthetic material; good foothold due to anti-slip tread; integrated reflector

**SIZE** (LxW) 112 x 77 mm

**MATERIAL** plastic, steel

**WEIGHT** 387 g



14177 blue



14178 red



14129 black

## ■ PEDALS JUNIOR

light flat pedal; boron steel axle; ball bearing mounted; robust polycarbonate body; good grip with anti-slip profile; integrated reflector

**SIZE** (LxW) 112 x 77 mm

**MATERIAL** polycarbonate, steel

**WEIGHT** 387 g



14151 blue



14152 red



14153 yellow



14150 black

## ■ PEDAL-PINS “SLUG”

sturdy grub screw steel pins; replaceable; suitable for RFR flat pedals with clipless system; suitable for all flat pedals with M4 tapped hole

SIZE (DxL) M4 x 8 mm


MATERIAL steel




14172 silver



14173 red



14171 black



14174 blue



14175 green



14176 gold

## ■ PEDAL-PINS

sturdy steel pins; changeable; suitable for RFR CMPT /RACE flat pedals and CUBE ALL MOUNTAIN flat pedals; suitable for all flat pedals with M4 tapped hole

SIZE (DxLxSw) M4 x 4 x 5 mm


MATERIAL steel




14166 silver




14167 red



14165 black



14168 blue



14169 green



14170 gold





**■ CLEATS SPD**

suitable for SPD pedals, MTB and Road shoes

**MATERIAL** chromium steel

**WEIGHT** 69 g



14124 black

**■ CLEATS SPD - SL 0°**

suitable for all SPD-SL pedals and compatible with race shoes; highly technical thermoplastics; 0° lateral play

**MATERIAL** thermoplastic

**WEIGHT** 83 g



14125 black'n'grey

## ■ CLEATS SPD - SL 4.5°

suitable for all SPD-SL pedals and compatible with race shoes; highly technical thermoplastics; 4.5° lateral play

**MATERIAL** thermoplastic

**WEIGHT** 95g



14126 red'n'black

## ■ CLEATS LOOK KEO 0°

suitable for all Look Keo pedals and compatible with race shoes; highly technical thermoplastics; 0° lateral play

**MATERIAL** thermoplastic

**WEIGHT** 95 g



14127 yellow'n'black

## ■ CLEATS LOOK KEO 7°

suitable for all Look Keo pedals and compatible with race shoes; highly technical thermoplastics; 7° lateral play

**MATERIAL** thermoplastic

**WEIGHT** 72g



14128 yellow'n'red

## SHIFT CABLE CMPT

2300 mm smoothed stainless steel gear cable for extremely low friction; suitable for Shimano/SRAM; universal; 100 units in workshop packaging

**MATERIAL** stainless steel

**WEIGHT** 2095 g



10460 silver

## BRAKE CABLE INNER WIRE MTB

1700 mm smoothed stainless steel brake cable for extremely low friction; suitable for SRAM/Shimano; universal; 100 units in workshop packaging

**MATERIAL** stainless steel

**WEIGHT** 2650 g



10466 silver

## SHIFT CABLE HOUSING WITH SLICK LUBE LINER

50-metre gear cable outer shell with low friction thanks to slick lube liner; universal; Shimano/SRAM/Campagnolo; low weight; compression shell for precise gear operation; double plastic layer increases weather protection and durability

**MATERIAL** plastic

**WEIGHT** 1970 g



10465 white



10464 black

## BRAKE HOUSING WITH SLICK LUBE LINER

50-metre brake cable outer shell with low friction thanks to slick lube liner; universal; Shimano/SRAM/Campagnolo; low weight; compression shell for precise brake operation; double plastic layer increases weather protection and durability

**MATERIAL** plastic

**WEIGHT** 3276 g



10468 white



10467 black

### ■ SEALED END SHIFT CAP PRO

4 mm aluminium end caps for gear cable outer shells with sealing; rubber O-ring protects outer shell from dirt and water; 50 units in workshop packaging

**MATERIAL** alloy

**WEIGHT** 17 g



10472 silver



10471 black

### ■ OPEN END BRAKE CAP PRO

5 mm aluminium end caps for brake cable outer shell; 50 units in workshop packaging

**MATERIAL** alloy

**WEIGHT** 17 g



10474 silver



10473 black

### ■ OPEN END SHIFT CAP CMPT

4 mm plastic end caps for gear cable outer shells; 100 units in workshop packaging

**MATERIAL** plastic



10470 black

### ■ OPEN END BRAKE CAP CMPT

5 mm plastic end caps for brake cable outer shell; 100 units in workshop packaging

**MATERIAL** plastic



10479 black

## ■ DIRT GUARD

the 4 mm dirt protection prevents dirt and dust from getting in; 20 units in workshop packaging

**MATERIAL** plastic



10480 black

## ■ UNIVERSAL CABLE DONUT

the bowdencable protection ring is suitable for brake and shift cables; protects the frame from scratches; 200 x 3 in workshop packaging

**MATERIAL** rubber



10481 black

## ■ CABLE TIPS

aluminium end caps protect the wire end; 500 units in workshop packaging

**MATERIAL** alloy

**WEIGHT** 17 g



10483 silver



10482 black

## ■ LOOP GUIDE

cable routing suitable for 4 - 5 mm cables; 50 units in workshop packaging

**MATERIAL** plastic



10484 black

## ■ C-CLIP GUIDE

cable routing suitable for 4 - 5 mm cables; 50 units in workshop packaging

**MATERIAL** plastic



10485 black

## ■ UNIVERSAL SPORT SHIFT KIT

shift cable set for Shimano/SRAM/Campagnolo; slick lube liner for extremely low friction; universal; contents: 9 x sealed end caps, 6 x cable donuts, 1 x hooded aluminium end cap, 2 x 3G tube tops, 2 x cable tips

**MATERIAL** steel, plastic, alloy




10451 neon yellow



10450 black



10452 red



10453 blue



10454 white



10449 flashred

## ■ SHIFT CABLE PRO SHIMANO

2300 mm teflon-coated gear cable; frictionless and maintenance-free; eco-friendly; suitable for every weather; universal; Shimano/SRAM

**MATERIAL** stainless steel



10461 silver

## ■ SHIFT CABLE CMPT SHIMANO

2300 mm smoothed stainless steel gear cable for extremely low friction; suitable for Shimano/SRAM; universal

**MATERIAL** stainless steel



10462 silver

## UNIVERSAL SPORT BRAKE KIT

mountain and road brake cable set for Shimano/SRAM; slick lube liner for extremely low friction; universal; contents: 6 x open end caps, 3 x bowdencable protection rings, 2 x 3G outer shell covers, 2 x end caps, 2 x rotatable cable connector

**MATERIAL** steel, plastic, alloy



10456 neon yellow



10455 black



10457 red



10458 blue



10459 white



10448 flashred

## SHIFT CABLE PRO CAMPAGNOLO

2300 mm teflon-coated gear cable; frictionless and maintenance-free; eco-friendly; suitable for every weather; universal; Campagnolo

**MATERIAL** stainless steel



10469 silver

## SHIFT CABLE CMPT CAMPAGNOLO

2300 mm smoothed stainless steel gear cable for extremely low friction; suitable for Campagnolo; universal

**MATERIAL** stainless steel



10463 silver

## ■ UNIVERSAL END CAP PRO - PACK

contents: 10 pc. 4 mm aluminium end caps for gear cable outer shells with seal and rubber O-ring, protects the outer shell from dirt and moisture, 6 pc. 5 mm aluminium end caps for brake cable outer shells, 4 pc. aluminium cable end caps; perfect for an entire bike

**MATERIAL** alloy

**WEIGHT** 17 g



10476 blue



10477 red



10478 black



10475 gold

## ■ STICK ON GUIDE

self-adhesive cable routing; universal; neat cable routing; very light

**MATERIAL** plastic

**WEIGHT** 17 g



10486 black

## ■ IN LINE ADJUSTER CMPT

aluminium shift cable dolly adjusts front and back derailleur; light

**MATERIAL** alloy, plastic

**WEIGHT** 17 g



10487 black



## ■ MINI TUBE CMPT

outer shell cover protects the frame from scratches; universal

**MATERIAL** plastic

**WEIGHT** 12 g



10489 black

## ■ 3G TUBE TOP PRO

outer shell cover protects the frame from scratches; very easy fitting on brake and shift cable; universal

**MATERIAL** plastic

**WEIGHT** 15 g



10490 black

## ■ BRAKE NOODLE/BOOT 90°

cable routing for V-brake system; 90° angle

**MATERIAL** brass, steel

**WEIGHT** 12 g



10491 black

## ■ Z1 CHAIN NARROW

for hub gears and single speed; includes missing link connector; anti-jump safe; smooth running; low maintenance

**MATERIAL** steel

**WEIGHT** 314 g



14200 anthracite

## ■ Z1RB CHAIN NARROW

for hub gears and single speed; includes missing link connector; anti-jump safe, smooth running, corrosion resistant and requires low maintenance

**MATERIAL** steel

**WEIGHT** 325 g



14201 silver

## ■ Z8S CHAIN

for TREKKING, MTB, ROAD and HYBRID; 6-8 speed compatible; includes missing link connector; smooth running; nickel-plated outer flap and requires low maintenance

**MATERIAL** steel

**WEIGHT** 332 g



14202 anthracite

## ■ X9 - 73G CHAIN

for TREKKING, MTB, ROAD and HYBRID; 9 speed compatible; includes missing link connector; extremely durable high-performance chain; super stretch resistant and low maintenance

**MATERIAL** steel

**WEIGHT** 313 g



14203 anthracite

## ■ X10 - 73G CHAIN

for TREKKING, MTB, ROAD and HYBRID; 10 speed compatible; bidirectional; with missing link connector; smooth running; extremely durable high-performance chain; super stretch resistant and low maintenance

**MATERIAL** steel

**WEIGHT** 310 g



14204 anthracite

■ **CONNECTING LINK Z1 NARROW SNAP ON**

chain link for single speed snap-on chains

**MATERIAL** steel



**14205** anthracite

■ **CONNECTING LINK Z1 NARROW RB**

chain link for single speed Z1 narrow RB chains

**MATERIAL** steel



**14206** anthracite

■ **MISSING LINK 6-8 SPEED**

chain link for 6-8-speed chain

**MATERIAL** steel



**14207** silver

■ **MISSING LINK 9 SPEED**

chain link for 9-speed chain

**MATERIAL** steel



**14208** silver

■ **MISSING LINK 10 SPEED**

chain link for 10-speed chain

**MATERIAL** steel



**14209** silver

## FRONT DERAILLEUR CLAMP

CNC-machined front derailleur clamp; lightweight 6061 - T6 aluminium; for fixing braze-on front derailleurs to frames without bracket

**SIZE (D)** 31.8 mm (13383), 34.9 mm (13384)

**MATERIAL** alloy

**WEIGHT** 20.5 g



31.8 mm **13383** black



34.9 mm **13384** black

## CHAIN CATCHER WITH CLAMP

super light chain jump-off guard with 6061-T6 aluminium clamp; protects your frame; suitable for road and MTB bikes

**SIZE (DxL)** 31.8 x 75 mm (13381), 34.9 x 75 mm (13382)

**MATERIAL** alloy

**WEIGHT** 22 g



31.8 mm **13381** black



34.9 mm **13382** black

## CHAIN CATCHER

super light 6061-T6 aluminium chain jump-off guard; protects your frame; suitable for road bikes

**SIZE (L)** 100 mm

**MATERIAL** alloy

**WEIGHT** 10 g



**13380** black



## SPARE PARTS - LIGHTS

### LIGHT BRACKET FOR CMPT "RED LED"

**13994**


|                           |                   |       |      |
|---------------------------|-------------------|-------|------|
| for LED Light Set CMPT    | matt white        | 13900 | ☐ 21 |
| for LED Lighting Set CMPT | matt black        | 13914 | ☐ 21 |
| for LED Light Set CMPT    | matt blue'n'white | 13933 | ☐ 21 |

### LIGHT BRACKET FOR CMPT "WHITE LED"

**13992**


|                           |                   |       |      |
|---------------------------|-------------------|-------|------|
| for LED Light Set CMPT    | matt white        | 13900 | ☐ 21 |
| for LED Lighting Set CMPT | matt black        | 13914 | ☐ 21 |
| for LED Light Set CMPT    | matt blue'n'white | 13933 | ☐ 21 |

### LIGHT BRACKET FOR TOUR REAR LIGHT

**13991**


|                              |            |       |      |
|------------------------------|------------|-------|------|
| for LED Lighting Set TOUR 12 | matt black | 13917 | ☐ 15 |
| for LED Lighting Set TOUR 12 | white      | 13918 | ☐ 15 |
| for Rear Light TOUR          | black      | 13932 | ☐ 15 |

### LIGHT BRACKET FOR TOUR FRONT LIGHT

**13990**


|                              |            |       |      |
|------------------------------|------------|-------|------|
| for LED Lighting Set TOUR 12 | matt black | 13917 | ☐ 15 |
| for LED Lighting Set TOUR 12 | white      | 13918 | ☐ 15 |

### BRACKET POWER LIGHT 300

**13915**


|                                     |        |       |      |
|-------------------------------------|--------|-------|------|
| for Power Light 300 USB "White LED" | black  | 13848 | ☐ 19 |
| for Power Light 300 USB "White LED" | silver | 13849 | ☐ 19 |
| for Power Light 300 USB "White LED" | red    | 13850 | ☐ 19 |
| for Power Light 300 USB "White LED" | blue   | 13851 | ☐ 19 |

### BRACKET DIAMOND HPA/HQP "WHITE LED"

**13913**


|                                   |        |       |      |
|-----------------------------------|--------|-------|------|
| for Light Diamond "White LED"     | black  | 13840 | ☐ 20 |
| for Light Diamond "White LED"     | silver | 13842 | ☐ 20 |
| for Light Diamond "White LED"     | red    | 13844 | ☐ 20 |
| for Light Diamond "White LED"     | blue   | 13846 | ☐ 20 |
| for Light Diamond HQP "White LED" | black  | 13870 | ☐ 21 |
| for Light Diamond HQP "White LED" | white  | 13872 | ☐ 21 |
| for Light Diamond HQP "White LED" | blue   | 13874 | ☐ 21 |
| for Light Diamond HQP "White LED" | red    | 13876 | ☐ 21 |
| for Light Diamond HQP "White LED" | grey   | 13878 | ☐ 21 |

### BRACKET DIAMOND HPA/HQP "RED LED"

**13912**


|                                 |        |       |      |
|---------------------------------|--------|-------|------|
| for Light Diamond "Red LED"     | black  | 13841 | ☐ 20 |
| for Light Diamond "Red LED"     | silver | 13843 | ☐ 20 |
| for Light Diamond "Red LED"     | red    | 13845 | ☐ 20 |
| for Light Diamond "Red LED"     | blue   | 13847 | ☐ 20 |
| for Light Diamond HQP "Red LED" | black  | 13871 | ☐ 21 |
| for Light Diamond HQP "Red LED" | white  | 13873 | ☐ 21 |
| for Light Diamond HQP "Red LED" | blue   | 13875 | ☐ 21 |
| for Light Diamond HQP "Red LED" | red    | 13877 | ☐ 21 |
| for Light Diamond HQP "Red LED" | grey   | 13879 | ☐ 21 |



**SPARE PARTS - SEATPOSTS**

**SPARE PART SET TELESCOPE SEATPOST PRO**

**13479**



|                                      |       |       |       |
|--------------------------------------|-------|-------|-------|
| for Telescope Seatpost PRO "Inside"  | black | 13480 | 📦 101 |
| for Telescope Seatpost PRO "Inside"  | black | 13481 | 📦 101 |
| for Telescope Seatpost PRO "Outside" | black | 13482 | 📦 101 |
| for Telescope Seatpost PRO "Outside" | black | 13483 | 📦 101 |





PENDING SYSTEM GMBH & CO.KG  
Ludwig-Hüttner-Straße 5-7  
95679 Waldershof

[www.rfr-bikeparts.eu](http://www.rfr-bikeparts.eu)  
<http://b2b.rfr-bikeparts.eu>  
E-mail: [info@rfr-bikeparts.eu](mailto:info@rfr-bikeparts.eu)

## SUBJECT TO CHANGE, ERRORS AND OMISSIONS EXCEPTED


All images and product descriptions listed are correct at time of press. Despite careful preparation and checking of all data we reserve the right to make changes without notice. Errors cannot be excluded.

## RIGHTS OF USE

The rights for all used text, pictures, graphic designs and logos are owned by the company PENDING SYSTEM GmbH & Co. KG. Use is only permitted with the permission of PENDING SYSTEM GmbH & Co. KG. This approval is subject to revocation.







**RFR-BIKEPARTS.EU**